

## PUBLICATIONS

Peter John Bussey.

### Experimental Work.

#### CERN SC and Daresbury.

- 1 The total cross sections for pion-proton scattering between 70 MeV and 290 MeV  
A A Carter et al., Nucl. Phys. B26 (1971) 445-460
- 2 The  $\pi^-p \rightarrow \pi^0n$  charge-exchange cross-sections between 90 MeV and 290 MeV  
D V Bugg et al., Nucl. Phys. B26 (1971) 588-596
- 3  $\pi p$  elastic scattering from 88 to 292 MeV  
P J Bussey et al., Nucl. Phys. B58 (1973) 363-377
- 4 The recoil proton polarization in the reaction  $\gamma p \rightarrow \pi^0 p$  in the third resonance region  
M N Prentice et al., Nucl. Phys. B41 (1972) 353-364
- 5 A measurement of the beam asymmetry parameter for neutral pion production in the energy range 1.2-2.8 GeV  
P J Bussey et al., Nucl. Phys. B104 (1976) 253-276
- 6 The polarised beam asymmetry in photoproduction of eta mesons from protons at 2.5 GeV and 3.0 GeV  
P J Bussey et al., Phys. Lett. 61B (1976) 479-482
- 7 Polarisation parameters in positive pion photoproduction  
P J Bussey et al., Nucl. Phys. B154 (1979) 205-225
- 8 Polarisation parameters in neutral pion photoproduction  
P J Bussey et al., Nucl. Phys. B154 (1979) 492-502
- 9 Measurements of the double polarisation parameters  $G$  and  $H$  in neutral pion photoproduction  
P J Bussey et al., Nucl. Phys. B159 (1979) 383-396
- 10 Measurements of the polarisation parameters  $G$  and  $H$  in positive pion photoproduction  
P J Bussey et al., Nucl. Phys. B169 (1980) 403-414
- 11 The polarised target asymmetry in photoproduction of eta mesons from protons at 4 GeV  
P J Bussey et al., Nucl. Phys. B185 (1981) 269-27

#### The Omega Photon Collaboration at CERN SPS.

- 12 Jet-like structure in the reaction  $\gamma p \rightarrow \pi^+ \pi^- \pi^+ \pi^- \pi^+ \pi^- p$   
D Aston et al., Nucl. Phys. B166 (1980) 1-24
- 13 Observation of a charmed neutral meson produced in a high-energy photon interaction  
M I Adamovich et al., Phys. Lett. 89B (1980) 427-431
- 14 Observation of an  $\omega\pi^0$  state of mass 1.25 GeV produced by photons of energy 20-70 GeV  
D Aston et al., Phys. Lett. 92B (1980) 211-214
- 15 Observation of the  $\rho'(1600)$  in the channel  $\gamma p \rightarrow \pi^+ \pi^- p$   
D Aston et al., Phys. Lett. 92B (1980) 215-218
- 16 Observation of a threshold enhancement in the reaction  $\gamma p \rightarrow K^+ K^- \pi^+ \pi^- p$  at  $\gamma$  energies of 20-70 GeV  
D Aston et al., Phys. Lett. 92B (1980) 219-222
- 17 Proton-antiproton states in high energy photoproduction  
D Aston et al., Phys. Lett. 93B (1980) 517-520
- 18 Photoproduction of charmed  $D$  mesons at  $\gamma$  energies of 40-70 GeV  
D Aston et al., Phys. Lett. 94B (1980) 113-117
- 19 Photoproduction of  $K^+ K^-$  pairs on hydrogen at photon energies of 20 to 36 GeV  
D Aston et al., Nucl. Phys. B172 (1980) 1-24

- 20 The reactions  $\gamma p \rightarrow \omega \pi^+ \pi^- p$  and  $\gamma p \rightarrow \eta \pi^+ \pi^- p$  at photon energies of 25 to 70 GeV  
D Aston et al., Nucl. Phys. B174 (1980) 269-276
- 21 Inclusive photoproduction of  $\phi$ -mesons at photon energies of 25 to 70 GeV  
D Aston et al., Nucl. Phys. B179 (1981) 215-225
- 22 A high energy tagged polarised photon beam  
P J Bussey et al., proc. *High-Energy Physics with Polarised Beams and Polarised Targets*, eds. C Joseph and J Soffer (Birkhäuser, 1981) 478-481
- 23 Observation of charmed particles produced by high-energy photons in nuclear emulsions coupled with a magnetic spectrometer  
M I Adamovich et al., proc. XX Int. Conf. on High Energy Physics 1980 (Madison, Wisconsin), eds. L. Durand and L. G. Pondrom (Am. Inst. Physics, New York, 1981) 342-351
- 24 Associated photoproduction of a charmed meson and a charmed baryon  
A Forino et al., Lett. al Nuovo Cim. 30 (1981) 66-170
- 25 Observation of pairs of charmed particles produced by high-energy photons in nuclear emulsions coupled with a magnetic spectrometer  
M I Adamovich et al., Phys. Lett. 99B (1981) 271-276
- 26 Photoproduction of charmed  $F$  mesons at  $\gamma$  energies of 20 to 70 GeV  
D Aston et al., Phys. Lett. 100B (1981) 91-94
- 27 The reaction  $\gamma p \rightarrow p \pi^+ \pi^- \pi^+ \pi^-$  for photon energies from 25 to 70 GeV  
D Aston et al., Nucl. Phys. B189 (1981) 15-39
- 28 A search for the decays of  $F$  into  $\rho$  mesons in a photoproduction experiment.  
D Aston et al., Nucl. Phys. B189 (1981) 205-211
- 29 Evidence for a high mass enhancement in  $K^+ K^-$  photoproduction  
D Aston et al., Phys. Lett. 104B (1981) 231-234
- 30 Observation of the photoproduction of a  $\bar{D}^0 D^0$  pair of charmed mesons  
M I Adamovich et al., Pis'ma Zh. Eksp. Teor. Fiz. 34 (1981) 477-482;  
JETP Lett. 34 (1981) 456-461
- 31 The decay of the  $\rho'(1600)$  into  $\pi^+ \pi^- \pi^0 \pi^0$   
M Atkinson et al., Phys. Lett. 108B (1982) 55-57
- 32 Radiation from planar channelled 5-55 GeV/c positrons and electrons  
M Atkinson et al., Phys. Lett. 110B (1982) 162-166
- 33 Inclusive production of lambdas and antilambdas in  $\gamma p$  interactions, for photon energies between 25 and 70 GeV  
D Aston et al., Nucl. Phys. B195 (1982) 189-202
- 34 A study of inclusive photoproduction of hyperons and antihyperons in the range of 20 to 70 GeV  
D Aston et al., Nucl. Phys. B198 (1982) 189-208
- 35 The 25-70 GeV tagged photon facility at CERN.  
D Aston et al., Nucl. Instr. Meth. 197 (1982) 287-296
- 36 Photoproduction of  $\rho^0$  and  $\omega$  on hydrogen at photon energies of 20 to 70 GeV  
D Aston et al., Nucl. Phys. B209 (1982) 56-76
- 37 Further evidence for photoproduction of charmed  $F$ -mesons  
M Atkinson et al., Z. Phys. C17 (1983) 1-4
- 38 Photoproduction of an isoscalar  $3\pi$  resonance at 1.67 GeV  
M Atkinson et al., Phys. Lett. 127B (1983) 132-136
- 39 A polarised high energy tagged photon beam  
P J Bussey et al., Nucl. Instr. Meth. 211 (1983) 301-308

- 40 The reaction  $\gamma p \rightarrow p\omega\pi^+\pi^-$  for photon energies of 25-50 GeV  
M Atkinson et al., Nucl. Phys. B229 (1983) 269-283
- 41 Photoproduction of  $KK\pi$  final states in the photon energy range 25 to 70 GeV  
M Atkinson et al., Nucl. Phys. B231 (1984) 1-14
- 42 Photoproduction of  $\pi^+\pi^-\pi^0$  on hydrogen with linearly polarised photons of energy 20 to 70 GeV  
M Atkinson et al., Nucl. Phys. B231 (1984) 15-39
- 43 Inclusive photoproduction of  $\delta(980)$  and  $B(1235)$  at high  $x_F$   
M Atkinson et al., Phys. Lett. 138B (1984) 459-463
- 44 Photoproduction of  $\rho\rho$  and  $\rho f$  systems.  
M Atkinson et al., Nucl. Phys. B239 (1984) 1-14
- 45 Observation of a peak at 1.28 GeV in the  $\eta\pi\pi$  system in the reaction  $\gamma p \rightarrow \eta\pi^+\pi^-p$   
M Atkinson et al., Nucl. Phys. B242 (1984) 269-281
- 46 A spin-parity analysis of the  $\omega\pi^0$  enhancement photoproduced in the energy range 20-70 GeV  
M Atkinson et al., Nucl. Phys. B243 (1984) 1-28
- 47 Inclusive photoproduction of  $\rho$  and  $\omega$  in the photon energy range 20 to 70 GeV  
M Atkinson et al., Nucl. Phys. B245 (1984) 189-214
- 48 Photoproduction of multiparticle states in the beam fragmentation region for photon energies in the range 50-70 GeV  
M Atkinson et al., Z. Phys. C26 (1984) 19-26
- 49 The  $\rho'(1600)$  in the reaction  $\gamma p \rightarrow \pi^+\pi^-\pi^+\pi^-$  at photon energies of 20-70 GeV  
M Atkinson et al., Z. Phys. C26 (1985) 499-506
- 50 Photoproduction of  $\phi$  mesons by linearly polarised photons of energy 20-40 GeV and further evidence for a photoproduced high-mass KK enhancement.  
M Atkinson et al., Z. Phys. C27 (1985) 233-238
- 51 Evidence for a  $\omega\rho^\pm\pi^\pm$  state in diffractive photoproduction  
M Atkinson et al., Z. Phys. C29 (1985) 333-338
- 52 Inclusive photoproduction of  $\phi$ ,  $K^*(890)$  and  $K^*(1420)$  in the photon energy range 20 to 70 GeV  
M Atkinson et al., Z. Phys. C30 (1986) 521-530
- 53 Study of  $\eta\pi^+\pi^-$  states in the  $\rho'(1600)$  mass region photoproduced in the reaction  $\gamma p \rightarrow \eta\pi^+\pi^-p$  at photon energies of 20 to 70 GeV  
M Atkinson et al., Z. Phys. C30 (1986) 531-540
- 54 Search for a  $\phi'$  vector meson in diffractive photoproduction of  $K^+K^-\pi^+\pi^-$   
M Atkinson et al., Z. Phys. C30 (1986) 541-544
- 55 Diffractive photoproduction of a  $b_1p$  system.  
M Atkinson et al., Z. Phys. C34 (1987) 157-162
- 56 A peak in the  $\eta\omega$  mass spectrum from diffractive photoproduction  
M Atkinson et al., Z. Phys. C34 (1987) 303-306
- 57 Photon diffractive dissociation to  $\rho\rho\pi$  and  $\rho\pi\pi\pi$  states  
M Atkinson et al., Z. Phys. C38 (1988) 535-542

### The PLUTO Collaboration

- 58 Energy moments for quark jets at PETRA  
Ch Berger et al., Z. Phys. C19 (1983) 205-212
- 59 Measurement of the muon pair asymmetry in  $e^+e^-$  annihilation at  $\sqrt{s} = 347$  GeV  
Ch Berger et al., Z. Phys. C21 (1983) 53-57
- 60 Measurement of transverse momenta in  $e^+e^-$  annihilation jets at PETRA  
Ch Berger et al., Z. Phys. C22 (1984) 103-107

- 61 Exclusive production of hadron pairs at large momentum transfer in photon-photon reactions  
Ch Berger et al., Phys. Lett. 137B (1984) 267-271
- 62 Measurement of the photon structure function  $F_2^\gamma(x, Q^2)$   
Ch Berger et al., Phys. Lett. 142B (1984) 111-118
- 63 Measurement of deep inelastic electron scattering off virtual photons  
Ch Berger et al., Phys. Lett. 142B (1984) 119-124
- 64 Measurement of exclusive  $\eta'$  production in  $\gamma\gamma$  reactions  
Ch Berger et al., Phys. Lett. 142B (1984) 125-129
- 65 The  $Q^2$  and transverse momentum dependence of jet production in photon-photon interactions  
Ch Berger et al., Z. Phys. C26 (1984) 191-198
- 66 Pion pair production in photon-photon interactions  
Ch Berger et al., Z. Phys. C26 (1984) 199-207
- 67 Measurement of the total photon-photon cross section for the production of hadrons at small  $Q^2$   
Ch Berger et al., Phys. Lett. 149B (1984) 421-426
- 68 Formation of the tensor meson  $A_2(1320)$  in photon-photon interactions  
Ch Berger et al., Phys. Lett. 149B (1984) 427-432
- 69 A measurement of the  $Q^2$  and  $W$  dependence of the  $\gamma\gamma$  total cross section for hadron production  
Ch Berger et al., Z. Phys. C26 (1984) 353-358
- 70 Serman-Weinberg jets and energy flow in  $e^+e^-$  annihilation at cm energies between 9.4 and 35 GeV  
Ch Berger et al., Z. Phys. C27 (1985) 167-175
- 71 Tagged two photon production of muon pairs  
Ch Berger et al., Z. Phys. C27 (1985) 249-256
- 72 Tests of the standard model with lepton pair production in  $e^+e^-$  reactions  
Ch Berger et al., Z. Phys. C27 (1985) 341-349
- 73 Measurement of tau-lepton production and decay  
Ch Berger et al., Z. Phys. C28 (1985) 1-8
- 74 A study of energy-energy correlations in  $e^+e^-$  annihilations at  $\sqrt{s} = 346$  GeV  
Ch Berger et al., Z. Phys. C28 (1985) 365-370
- 75 Study of the reaction  $\gamma\gamma \rightarrow 2\pi^+2\pi^-\pi^0$  and upper limits on the production of  $\gamma\gamma \rightarrow \omega\omega$  and  $\gamma\gamma \rightarrow \rho^0\omega$   
Ch Berger et al., Z. Phys. C29 (1985) 183-188
- 76 Jet production at high transverse momenta by interactions of two quasi-real photons  
Ch Berger et al., Z. Phys. C29 (1985) 499-503
- 77 Evidence for exclusive  $\eta_c$  production in  $\gamma\gamma$  interactions  
Ch Berger et al., Phys. Lett. 167B (1986) 120-126
- 78 Jet production in photon-photon interactions  
Ch Berger et al., Z. Phys. C33 (1987) 351-357
- 79 Measurement and QCD analysis of the photon structure function  $F_2(x, Q^2)$   
Ch Berger et al., Nucl. Phys. B281 (1987) 365-380
- 80 Tensor meson excitation in the reaction  $\gamma\gamma \rightarrow K_s^0 \bar{K}_s^0$   
Ch Berger et al., Z. Phys. C37 (1988) 329-336
- 81 Measurement and analysis of the reaction  $\gamma\gamma \rightarrow \pi^+\pi^-\pi^+\pi^-$   
Ch Berger et al., Z. Phys. C38 (1988) 521-534

### The CELLO Collaboration

- 82 Limits on spin 0 bosons in  $e^+e^-$  annihilation up to 45.2 GeV cm energy  
H-J Behrend et al., Phys. Lett. 140B (1984) 130-136

- 83 Observation of a multiparticle event with two isolated energetic muons in  $e^+e^-$  interactions  
H-J Behrend et al., Phys. Lett. 141B (1984) 145-152
- 84 Search for new heavy quarks in  $e^+e^-$  collisions up to 46.78 GeV  
H-J Behrend et al., Phys. Lett. 144B (1984) 297-301
- 85 An investigation of the processes  $e^+e^- \rightarrow \mu^+\mu^-\gamma$  and  $e^+e^- \rightarrow e^+e^-\gamma$   
H-J Behrend et al., Phys. Lett. 158B (1985) 536-542
- 86 Experimental limit on monojet production in  $e^+e^-$  annihilation  
H-J Behrend et al., Phys. Lett. 161B (1985) 182-187
- 87 Excited lepton search.  
H-J Behrend et al., Phys. Lett. 168B (1986) 420-426
- 88 A search for single photons at PETRA  
H-J Behrend et al., Phys. Lett. 176B (1986) 247-254
- 89 Search for light leptoquark bosons  
H-J Behrend et al., Phys. Lett. B178 (1986) 452-456
- 90 Search for excited quarks in  $e^+e^-$  interactions with the CELLO detector  
H-J Behrend et al., Phys. Lett. B181 (1986) 178-184
- 91 Determination of  $\alpha_s$  and  $\sin^2\theta_W$  from measurements of the total hadronic cross-section in  $e^+e^-$  annihilation  
H-J Behrend et al., Phys. Lett. 183B (1987) 400-411
- 92 Searches for supersymmetric particles with the CELLO Detector at PETRA  
H-J Behrend et al., Z. Phys. C35 (1987) 181-199
- 93 A measurement of the muon pair production in  $e^+e^-$  annihilation at  $39.3 \leq \sqrt{s} \leq 46.8$  GeV  
H-J Behrend et al., Phys. Lett. 191B (1987) 209-216
- 94 A search for hadronic events with low thrust and an isolated lepton  
H-J Behrend et al., Phys. Lett. B193 (1987) 157-162
- 95 A search for the production of charged Higgs particles  
H-J Behrend et al., Phys. Lett. B193 (1987) 376-382
- 96 Upper limit for the decay  $\tau \rightarrow \eta\pi\nu$   
H-J Behrend et al., Phys. Lett. B200 (1988) 226-230
- 97 A study of the three- and four-photon final states produced in  $e^+e^-$  annihilation at  $35 \leq \sqrt{s} \leq 46.8$  GeV  
H-J Behrend et al., Phys. Lett. B202 (1988) 154-160
- 98 An analysis of multihadronic events produced with two energetic leptons in  $e^+e^-$  annihilation  
H-J Behrend et al., Phys. Lett. B212 (1988) 515-522
- 99 A search for new leptons  
H-J Behrend et al., Z. Phys. C41 (1988) 7-16
- 100 Neutrino counting with the CELLO detector and search for supersymmetric particles  
H-J Behrend et al., Phys. Lett. B215 (1988) 186-194
- 101  $K_s^0 K\pi$  production in tagged and untagged  $\gamma\gamma$  interactions  
H-J Behrend et al., Z. Phys. C42 (1989) 367-376
- 102 Measurement of the reaction  $\gamma\gamma \rightarrow \rho^+\rho^-$  with the CELLO detector.  
H-J Behrend et al., Phys. Lett. B218 (1989) 493-498
- 103  $\tau$  production and decay with the CELLO detector in PETRA  
H-J Behrend et al., Phys. Lett. B222 (1989) 163-172
- 104 An experimental study of  $e^+e^-$  annihilation into four leptons at  $\sqrt{s} \geq 35$  GeV  
H-J Behrend et al., Z. Phys. C43 (1989) 1-14

- 105 The  $K_s^0 K_s^0$  final state in  $\gamma\gamma$  interactions  
H-J Behrend et al., Z. Phys. C43 (1989) 91-96
- 106 Model-independent limits on  $\Lambda_{QCD}$  from  $e^+e^-$  annihilation  
in the energy range 14 to 46 GeV  
H-J Behrend et al., Z. Phys. C44 (1989) 63-70
- 107 Inclusive strange particle production in  $e^+e^-$  annihilation  
H-J Behrend et al., Z. Phys. C46 (1990) 397-403
- 108 Exclusive  $\tau$  decays with the CELLO detector at PETRA  
H-J Behrend et al., Z. Phys. C46 (1990) 537-546
- 109  $a_2(1320)$  and  $\pi_2(1670)$  formation in the reaction  $\gamma\gamma \rightarrow \pi^+\pi^-\pi^0$   
H-J Behrend et al., Z. Phys. C46 (1990) 583-591
- 110 Measurement of inclusive  $\gamma$ ,  $\pi^0$  and  $\eta$  production in  $e^+e^-$  annihilation at  $\sqrt{s} \geq 35$  GeV  
H-J Behrend et al., Z. Phys. C47 (1990) 1-10
- 111 Heavy quark charge asymmetries with the CELLO detector  
H-J Behrend et al., Z. Phys. C47 (1990) 333-339
- 112 Global properties of pion production in the reaction  $\gamma\gamma \rightarrow 3\pi^+3\pi^-$   
H-J Behrend et al., Phys. Lett. B245 (1990) 298-304
- 113  $\rho^0$  production in the reaction  $\gamma\gamma \rightarrow 3\pi^+3\pi^-$  and search for  $\gamma\gamma \rightarrow \rho^0\rho^0(1700)$   
H-J Behrend et al., Z. Phys. C49 (1991) 43-48
- 114 A measurement of the  $\pi^0$ ,  $\eta$  and  $\eta'$  electromagnetic form factors  
H-J Behrend et al., Z. Phys. C49 (1991) 401-410
- 115 Fractal dimensions from a 3-dimensional intermittency analysis in  $e^+e^-$  annihilation  
H-J Behrend et al., Phys. Lett. B256 (1991) 97-104
- 116 Cross section measurement and spin-parity analysis of the reaction  $\gamma\gamma \rightarrow \omega\rho$   
H-J Behrend et al., Phys. Lett. B257 (1991) 505-513
- 117 Limits on electron compositeness from Bhabha scattering  
H-J Behrend et al., Z. Phys. C51 (1991) 143-148
- 118 A search for substructure of leptons and quarks with the CELLO detector.  
H-J Behrend et al., Z. Phys. C51 (1991) 149-156
- 119 Studies of multihadronic final states in photon-photon interactions  
H-J Behrend et al., Z. Phys. C51 (1991) 365-375
- 120 Multihadronic final states in two-photon interactions in CELLO.  
P J Bussey, proc. XXVI Rencontre de Moriond (High Energy Hadronic Interactions),  
ed. J Tr an Than V an, Editions Frontieres (1991) 429-434
- 121 An experimental study of the process  $\gamma\gamma \rightarrow \pi^+\pi^-$   
H-J Behrend et al., Z. Phys. C56 (1992) 381-390

### The ZEUS Collaboration

- 122 A measurement of  $\sigma_{tot}(\gamma p)$  at  $\sqrt{s} = 210$  GeV  
M Derrick et al., Phys. Lett. B293 (1992) 465-477
- 123 Observation of hard scattering in photoproduction at HERA  
M Derrick et al., Phys. Lett. B297 (1992) 404-416
- 124 Initial study of deep inelastic scattering with ZEUS at HERA  
M Derrick et al., Phys. Lett. B303 (1993) 183-197
- 125 Observation of two-jet production in deep inelastic scattering at HERA  
M Derrick et al., Phys. Lett. B306 (1993) 158-172

- 126 Search for leptoquarks with the ZEUS detector  
M Derrick et al., Phys. Lett. B306 (1993) 173-186
- 127 Hadronic energy distributions in deep-inelastic electron-proton scattering  
M Derrick et al., Z. Phys. C59 (1993) 231-242
- 128 Observation of events with a large rapidity gap in deep inelastic scattering at HERA  
M Derrick et al., Phys. Lett. B315 (1993) 481-493
- 129 Search for excited electrons using the ZEUS detector  
M Derrick et al., Phys. Lett. B316 (1993) 207-218
- 130 Measurement of the proton structure function  $F_2$  in  $ep$  scattering at HERA  
M Derrick et al., Phys. Lett. B316 (1993) 412-425
- 131 Observation of direct processes in photoproduction at HERA  
M Derrick et al., Phys. Lett. B322 (1994) 287-300
- 132 Measurement of total and partial photon proton cross sections at 180 GeV center of mass energy  
M Derrick et al., Z. Phys. C63 (1994) 391-408
- 133 Observation of jet production in deep inelastic scattering with a large rapidity gap at HERA  
M Derrick et al., Phys. Lett. B332 (1994) 228-243
- 134 Comparison of energy flows in deep inelastic scattering with and without a large rapidity gap  
M Derrick et al., Phys. Lett. B338 (1994) 483-496
- 135 Photoproduction at ZEUS.  
P J Bussey, proc. XXIX Rencontre de Moriond (QCD and High Energy Hadronic Interactions), ed. J Trân Than Vân, Editions Frontieres (1994) 289-294
- 136 Measurement of the proton structure function  $F_2$  from the 1993 HERA data.  
M Derrick et al., Z. Phys. C65 (1995) 379-398
- 137 A Search for excited fermions in electron-proton collisions at HERA  
M Derrick et al., Z. Phys. C65 (1995) 627-647
- 138 Inclusive jet differential cross sections in photoproduction at HERA  
M Derrick et al., Phys. Lett. B342 (1995) 417-432
- 139 Extraction of the gluon density of the proton at small  $x$   
M Derrick et al., Phys. Lett. B345 (1995) 576-588
- 140 Observation of hard scattering in photoproduction events with a large rapidity gap at HERA  
M Derrick et al., Phys. Lett. B346 (1995) 399-414
- 141 Dijet cross sections in photoproduction at HERA  
M Derrick et al., Phys. Lett. B348 (1995) 665-680
- 142 Study of  $D^*(2010)^\pm$  production in  $ep$  collisions at HERA  
M Derrick et al., Phys. Lett. B349 (1995) 225-237
- 143 Measurement of charged and neutral current  $ep$  deep inelastic scattering cross sections at high  $Q^2$   
M Derrick et al., Phys. Rev. Lett. 75 (1995) 1006-1011
- 144 Measurement of the cross section for the reaction  $\gamma p \rightarrow J/\psi p$  with the ZEUS Detector at HERA  
M Derrick et al., Phys. Lett. B350 (1995) 120-134
- 145 Jet production in high  $Q^2$  deep-inelastic  $ep$  scattering at HERA  
M Derrick et al., Z. Phys. C67 (1995) 81-92
- 146 Measurement of multiplicity and momentum spectra in the current fragmentation region of the Breit frame at HERA  
M Derrick et al., Z. Phys. C67 (1995) 93-107

- 147 Inclusive transverse momentum distributions of charged particles in diffractive and non-diffractive photoproduction at HERA  
M Derrick et al., *Z. Phys.* C67 (1995) 227-237
- 148 Study of the photon remnant in resolved photoproduction at HERA  
M Derrick et al., *Phys. Lett.* B354 (1995) 163-177
- 149 Diffractive hard photoproduction at HERA and evidence for the gluon content of the pomeron  
M Derrick et al., *Phys. Lett.* B356 (1995) 129-146
- 150 Exclusive  $\rho^0$  production in deep inelastic electron-proton Scattering at HERA  
M Derrick et al., *Phys. Lett.* B356 (1995) 601-616
- 151 Neutral Strange particle production in deep inelastic scattering at HERA  
M Derrick et al., *Z. Phys.* C68 (1995) 29-42
- 152 Measurement of the diffractive structure function in deep inelastic scattering at HERA  
M Derrick et al., *Z. Phys.* C68 (1995) 569-584
- 153 Measurement of elastic  $\rho^0$  photoproduction at HERA  
M Derrick et al., *Z. Phys.* C69 (1995) 39-54
- 154 Measurement of  $\alpha_s$  from jet rates in deep inelastic scattering  
M Derrick et al., *Phys. Lett.* B363 (1995) 201-216
- 155 Measurement of the proton structure function  $F_2$  at low  $x$  and low  $Q^2$  at HERA  
M Derrick et al., *Z. Phys.* C69 (1996) 607-620
- 156 Rapidity gaps between jets in photoproduction at HERA  
M Derrick et al., *Phys. Lett.* B369 (1996) 55-68
- 157 Inclusive charged particle distribution in deep inelastic scattering events at HERA  
M Derrick et al., *Z. Phys.* C70 (1996) 1-15
- 158 Measurement of elastic  $\phi$  photoproduction at HERA  
M Derrick et al., *Phys. Lett.* B377 (1996) 259-272
- 159 Measurement of the diffractive cross section in deep inelastic scattering  
M Derrick et al., *Z. Phys.* C70 (1996) 391-412
- 160 Measurement of the reaction  $\gamma^*p \rightarrow \phi p$  in deep inelastic  $e^+p$  scattering at HERA  
M Derrick et al., *Phys. Lett.* B380 (1996) 220-234
- 161 Study of charged-current  $ep$  interactions at  $Q^2 > 200 \text{ GeV}^2$  with the ZEUS Detector at HERA  
M Derrick et al., *Z. Phys.* C72 (1996) 47-64
- 162 Measurement of the  $F_2$  structure function in deep inelastic  $e^+p$  scattering using 1994 data from the ZEUS Detector at HERA  
M Derrick et al., *Z. Phys.* C72 (1996) 399-424
- 163 Observation of events with an energetic forward neutron in deep inelastic scattering at HERA  
M Derrick et al., *Phys. Lett.* B384 (1996) 388-400
- 164 Dijet angular distributions in resolved and direct photoproduction at HERA  
M Derrick et al., *Phys. Lett.* B384 (1996) 401-413
- 165 Observation of isolated high- $E_T$  photons in hard photoproduction at HERA  
P J Bussey, *proc. DIS '96*, Rome, ed. G D'Agostini et al., (World Scientific, 1997)
- 166 Measurements of elastic  $\omega$  production at HERA  
M Derrick et al., *Z. Phys.* C73 (1997) 73-84
- 167 The ZEUS Leading Proton Spectrometer and its use in the Measurement of elastic  $\rho^0$  photoproduction at HERA  
M Derrick et al., *Z. Phys.* C73 (1997) 253-268



- 168 Search for lepton flavor violation in  $ep$  collisions at 300 GeV center of mass energy  
M Derrick et al., Z. Phys. C73 (1997) 613-628
- 169 Differential cross sections of  $D^{*\pm}$  photoproduction in  $ep$  collisions at HERA  
J Breitweg et al., Phys. Lett. B401 (1997) 192-206
- 170 Comparison of ZEUS data with standard model predictions for  $e^+p \rightarrow e^+X$  scattering at high  $x$  and  $Q^2$   
J Breitweg et al., Z. Phys. C74 (1997) 207-220
- 171 Measurement of elastic  $J/\psi$  photoproduction at HERA  
J Breitweg et al., Z. Phys. C75 (1997) 215-228
- 172 Study of photon dissociation in diffractive photoproduction at HERA  
J Breitweg et al., Z. Phys. C75 (1997) 421-435
- 173  $D^*$  production in deep inelastic scattering at HERA  
J Breitweg et al., Phys. Lett. B407 (1997) 402-418
- 174 Measurement of the proton structure function  $F_2$  and  $\sigma_{tot}^{\gamma^*p}$  at low  $Q^2$  and very low  $x$  at HERA  
J Breitweg et al., Phys. Lett. B407 (1997) 432-448
- 175 Observation of isolated high  $E_T$  photons in photoproduction at HERA  
J Breitweg et al., Phys. Lett. B413 (1997) 201-216
- 176 Measurement of inelastic  $J/\psi$  photoproduction at HERA  
J Breitweg et al., Z. Phys. C76 (1997) 599-612
- 177 A search for excited fermions in  $e^+p$  collisions at HERA  
J Breitweg et al., Z. Phys. C76 (1997) 631-646
- 178 Observation of scaling violations in scaled momentum distributions at HERA  
J Breitweg et al., Phys. Lett. B414 (1997) 428-443
- 179 Measurement of the diffractive structure function  $F_2^{D(4)}$  at HERA  
J Breitweg et al., Eur. Phys. J. C (1998) 81-96
- 180 Dijet cross sections in photoproduction at HERA  
J Breitweg et al., Eur. Phys. J. C1 (1998) 109-122
- 181 Measurement of jet shapes in photoproduction at HERA  
J Breitweg et al., Eur. Phys. J. C2 (1998) 61-75
- 182 Event shape analysis of deep inelastic scattering events with a Large Rapidity Gap at HERA  
J Breitweg et al., Phys. Lett. B421 (1998) 368-384
- 183 Measurement of jet shapes in high  $Q^2$  deep inelastic scattering at HERA  
J Breitweg et al., Eur. Phys. J. C2 (1998) 61-75
- 184 Charged particles and neutral kaons in photoproduced jets at HERA  
J Breitweg et al., Eur. Phys. J. C2 (1998) 77-93
- 185 Measurement of the  $t$  distribution in diffractive photoproduction at HERA  
J Breitweg et al., Eur. Phys. J. C2 (1998) 237-246
- 186 Elastic and proton-dissociative  $\rho^0$  photoproduction at HERA  
J Breitweg et al., Eur. Phys. J. C2 (1998) 247-267
- 187 High- $E_T$  inclusive jet cross sections in photoproduction at HERA  
J Breitweg et al., Eur. Phys. J. C4 (1998) 591-606
- 188 Diffractive dijet cross sections in photoproduction at HERA  
J Breitweg et al., Eur. Phys. J. C5 (1998) 41-56
- 189 Search for selectron and squark production in  $e+p$  collisions at HERA  
J Breitweg et al., Phys. Lett. B434 (1998) 214-230

- 190 Measurement of elastic  $\Upsilon$  photoproduction at HERA  
J Breitweg et al., Phys. Lett. B437 (1998) 432-444
- 191 Measurement of three-jet distributions in photoproduction at HERA  
J Breitweg et al., Phys. Lett. B443 (1998) 394-408
- 192 Measurement of the diffractive cross section in deep inelastic scattering using ZEUS 1994 data.  
J Breitweg et al., Eur. Phys. J. C6 (1999) 43-66
- 193 Measurement of inclusive  $D^{*\pm}$  and associated dijet cross sections in photoproduction at HERA  
J Breitweg et al., Eur. Phys. J. C6 (1999) 67-83
- 194 Forward jet production in deep inelastic scattering at HERA  
J Breitweg et al., Eur. Phys. J. C6 (1999) 239-252
- 195 Exclusive electroproduction of  $\rho^0$  and  $J/\Psi$  mesons at HERA  
J Breitweg et al., Eur. Phys. J. C6 (1999) 603-627
- 196 ZEUS results on the measurement and phenomenology of  $F_2$  at low  $x$  and low  $Q^2$   
J Breitweg et al., Eur. Phys. J. C7 (1999) 609-630
- 197 Measurement of jet shapes in high- $Q^2$  deep inelastic scattering at HERA  
J Breitweg et al., Eur. Phys. J. C8 (1999) 367-380
- 198 Measurement of multiplicity and momentum spectra in the current and target regions of the Breit frame in deep inelastic scattering at HERA  
J Breitweg et al., Eur. Phys. J. C11 (1999) 251-270
- 199  $W$  production and the search for events with an isolated high-energy Lepton and missing transverse momentum at HERA  
J Breitweg et al., Phys. Lett. B 471 (1999) 411-428
- 200 Measurement of High  $Q^2$  neutral-current  $e^+p$  Deep Inelastic Scattering cross sections at HERA  
J Breitweg et al., Eur. Phys. J. C11 (1999) 427-445
- 201 Measurement of dijet photoproduction at high transverse energies at HERA  
J Breitweg et al., Eur. Phys. J. C11 (1999) 35-50
- 202 Search for contact interactions in Deep Inelastic  $e^+p \rightarrow e^+X$  scattering at HERA  
J Breitweg et al., Eur. Phys. J. C14 (2000) 239-254
- 203 Measurement of high  $Q^2$  charged-current  $e^+p$  Deep Inelastic Scattering cross sections at HERA  
J Breitweg et al., Eur. Phys. J. C12 (2000) 411-428
- 204 Angular and current-target correlations in deep inelastic scattering at HERA  
J Breitweg et al., Eur. Phys. J. C12 (2000) 53-68
- 205 Measurement of  $D^{*\pm}$  production and the charm contribution to  $F_2$  in deep inelastic scattering at HERA  
J Breitweg et al., Eur. Phys. J. C12 (2000) 35-52
- 206 Measurement of the spin-density matrix elements in exclusive electroproduction of  $\rho^0$  mesons at HERA  
J Breitweg et al., Eur. Phys. J. C12 (2000) 383-410
- 207 Measurement of diffractive photoproduction of vector mesons at large momentum transfer at HERA  
J Breitweg et al., Eur. Phys. J. C14 (2000) 213-238
- 208 Measurement of inclusive prompt photon photoproduction at HERA  
J Breitweg et al., Phys. Lett. B 472 (2000) 175-188
- 209 Measurement of the  $E_{T,jet}^2/Q^2$  dependence of forward jet production at HERA  
J Breitweg et al., Phys. Lett. B 474 (2000) 223-233
- 210 The  $Q^2$  dependence of dijet cross sections in  $\gamma p$  interactions at HERA  
J Breitweg et al., Phys. Lett. B 479 (2000) 37-52
- 211 Search for resonances decaying to  $e^+$ -jet in  $e^+p$  interactions at HERA  
J Breitweg et al., Eur. Phys. J. C16 (2000) 253-267

- 212 Measurement of azimuthal asymmetries in deep inelastic scattering  
J Breitweg et al., Phys. Letters B 481 (2000) 199-212
- 213 Measurement of inclusive  $D_s^{+-}$  photoproduction at HERA  
J Breitweg et al., Phys. Letters B 481 (2000) 213-227
- 214 Measurement of the proton structure function  $F_2$  at very low  $Q^2$  at HERA  
J Breitweg et al., Phys. Lett. B 487 (2000) 53-73
- 215 Measurement of exclusive  $\omega$  electroproduction at HERA  
J Breitweg et al., Phys. Lett. B 487 (2000) 273-288
- 216 Search for resonance decays to  $\bar{\nu}$ -jet in  $e^+p$  scattering at HERA  
J Breitweg et al., Phys. Rev. D (2001) art. 052002
- 217 Measurement of dijet cross sections for events with a leading neutron in photoproduction at HERA  
J Breitweg et al., Nucl. Phys. B (2001) 596 3-29
- 218 Measurement of open beauty production in photoproduction at HERA  
J Breitweg et al., Eur. Phys. J. C 18 (2001) 625-637
- 219 Measurement of dijet production in neutral current deep inelastic scattering at high  $Q^2$  and determination of  $\alpha_s$   
J Breitweg et al., Phys. Lett. B 507 (2001) 70-88
- 220 Study of the effective transverse momentum of partons in the proton using prompt photons in photoproduction at HERA  
S Chekanov et al., Phys. Lett. B 511 (2001) 19-32
- 221 Multiplicity moments in deep inelastic scattering at HERA  
S Chekanov et al., Phys. Lett. B 510 (2001) 36-54
- 222 Measurement of the neutral current cross section and  $F_2$  structure function for deep inelastic  $e^+p$  scattering at HERA  
S Chekanov et al., Eur. Phys. J. C21 (2001) 443-471
- 223 Three-jet production in diffractive deep inelastic scattering at HERA  
S Chekanov et al., Phys. Lett. B 516 (2001) 273-292
- 224 Properties of hadronic final states in diffractive deep inelastic scattering at HERA  
S Chekanov et al., Phys. Rev. D65 052001 (2002)
- 225 Dijet production in neutral current deep inelastic scattering at HERA  
S Chekanov et al., Eur. Phys. J. C 23 (2002) 13-27
- 226 Searches for excited fermions in  $ep$  collisions at HERA  
S Chekanov et al., Phys. Lett. B 549 (2002) 32-47
- 227 Measurement of the photon-proton total cross section at a center-of-mass energy of 209 GeV at HERA  
S Chekanov et al., Nucl. Phys. B627 (2002) 3-28
- 228 High-mass dijet cross sections in photoproduction at HERA  
S Chekanov et al., Phys. Lett. B 531 (2002) 9-27
- 229 Dijet photoproduction at HERA and the structure of the photon  
S Chekanov et al., Eur. Phys. J. C23 (2002) 615-631
- 230 Search for lepton-flavor violation in  $e^+p$  collisions at HERA  
S Chekanov et al., Phys. Rev. D65 092004 (2002)
- 231 Exclusive photoproduction of  $J/\psi$  mesons at HERA  
S Chekanov et al., Eur. Phys. J. C24 (2002) 345-360
- 232 Measurement of the  $Q^2$  and energy dependence of diffractive interactions at HERA  
S Chekanov et al., Eur. Phys. J. C25 (2002) 169-187

- 233 Leading Neutron production in  $e^+p$  collisions at HERA  
S Chekanov et al., Nucl. Phys. B 637 (2002) 3-36
- 234 Measurement of high- $Q^2$  charged current cross sections in  $e^-p$  deep inelastic scattering at HERA  
S Chekanov et al., Phys. Lett. B 539 (2002) 197-217
- 235 Measurement of proton-dissociative diffractive photoproduction of vector mesons at large momentum transfer at HERA  
S Chekanov et al., Eur. Phys. J. C 26 (2002) 389-409
- 236 Measurement of diffractive production of  $D^{*\pm}(2010)$  mesons in deep-inelastic scattering at HERA  
S Chekanov et al., Phys. Lett. B 545 (2002) 244-60
- 237 Inclusive jet cross sections in the Breit frame in neutral current deep inelastic scattering at HERA and determination of  $\alpha_s$   
S Chekanov et al., Phys. Lett. B 547 (2002) 164-80
- 238 Measurements of inelastic  $J/\psi$  and  $\psi'$  photoproduction at HERA  
S Chekanov et al., Eur. Phys. J. C 27 (2002) 173-188
- 239 ZEUS next-to-leading-order QCD analysis of data on deep inelastic scattering  
S Chekanov et al., Phys. Rev. D 67 (2003) 012007
- 240 Measurement of high- $Q^2$   $e^-p$  neutral current cross sections at HERA and the extraction of  $xF_3$   
S Chekanov et al., Eur. Phys. J. C 28 (2003) 175-201
- 241 Leading proton production in  $e^+p$  collisions at HERA  
S Chekanov et al., Nucl. Phys. B 658 (2003) 3-46
- 242 Study of the azimuthal asymmetry of jets in neutral current deep inelastic scattering at HERA  
S Chekanov et al., Phys. Lett. B 551 (2003) 226-240
- 243 Observation of the strange sea in the proton via inclusive phi-meson production in neutral current deep inelastic scattering at HERA  
S Chekanov et al., Phys. Lett. B 553 (2003) 141-158
- 244 Measurement of event shapes in deep inelastic scattering at HERA  
S Chekanov et al., Eur. Phys. J. C 27 (2003) 541-545
- 245 Measurement of subjet multiplicities in neutral current deep inelastic scattering at HERA and determination of  $\alpha_s$   
S Chekanov et al., Phys. Lett. B 558 (2003) 41-58
- 246 Search for single-top production in  $ep$  collisions at HERA  
S Chekanov et al., Phys. Lett. B 559 (2003) 153-170
- 247 Scaling violations and determination of  $\alpha_s$  from jet production in  $\gamma p$  interactions at HERA  
S Chekanov et al., Phys. Lett. B 560 (2003) 7-23
- 248 Dijet angular distributions in photoproduction of charm at HERA  
S Chekanov et al., Phys. Lett. B 565 (2003) 87-101
- 249 Search for resonance decays to lepton+jet at HERA and limits on leptoquarks  
S Chekanov et al., Phys. Rev. D 68 (2003) 052004
- 250 Measurement of deeply virtual Compton scattering at HERA  
S Chekanov et al., Phys. Lett. B 573 (2003) 46-62
- 251 Jet production in charged current deep inelastic  $e + p$  scattering at HERA  
S Chekanov et al., Eur. Phys. J. C 31 (2003) 149-164
- 252 Measurement of high- $Q^2$  charged current cross sections in  $e^+p$  deep inelastic scattering at HERA  
S Chekanov et al., Eur. Phys. J. C 32 (2003) 1-16
- 253 Measurement of the open-charm contribution to the diffractive proton structure function  
S Chekanov et al., Nucl. Phys. B 672 (2003) 3-35

- 254 Observation of  $K_s^0 K_s^0$  resonances in deep inelastic scattering at HERA  
S Chekanov et al., Phys. Lett. B 578 (2003) 33-44
- 255 Measurement of  $D^{*+}$  production in deep inelastic  $e + p$  scattering at HERA  
S Chekanov et al., Phys. Rev. D 69 (2004) 012004
- 256 Isolated tau leptons in events with large missing transverse momentum at HERA  
S Chekanov et al., Phys. Lett. B 583 (2004) 41-58
- 257 Bose-Einstein correlations in one and two dimensions in deep inelastic scattering  
S Chekanov et al., Phys. Lett. B 583 (2004) 231-246
- 258 Search for QCD-instanton induced events in deep inelastic  $ep$  scattering at HERA  
S Chekanov et al., Eur. Phys. J. C 34 (2004) 255-265
- 259 Bottom photoproduction measured using decays into muons in dijet events in  $ep$  collisions at  $\sqrt{s}=318$  GeV  
S Chekanov et al., Phys. Rev. D 70 (2004) 012008  
Erratum: Phys. Rev. D 74 (2006) 059906
- 260 High- $Q^2$  neutral current cross section in  $e^+p$  deep inelastic scattering at  $\sqrt{s}=318$  GeV  
S Chekanov et al., Phys. Rev. D 70 (2004) 052001
- 261 Photoproduction of  $D^{*\pm}$  mesons associated with a leading neutron  
S Chekanov et al., Phys. Lett. B 590 (2004) 143-160
- 262 Search for contact interactions, large extra dimensions and finite quark radius in  $ep$  collisions at HERA  
S Chekanov et al., Phys. Lett. B 591 (2004) 23-41
- 263 High- $Q^2$  neutral current cross section in  $e^+p$  deep inelastic scattering at  $\sqrt{s}=318$  GeV  
S Chekanov et al., Phys. Rev. D 70 (2004) 052001
- 264 Observation of isolated high- $E_T$  photons in deep inelastic scattering  
S Chekanov et al., Phys. Lett. B 595 (2004) 86-100
- 265 Exclusive electroproduction of  $J/\psi$  mesons at HERA  
S Chekanov et al., Nucl. Phys. B 695 (2004) 3-37
- 266 The dependence of dijet production on photon virtuality in  $ep$  collisions at HERA  
S Chekanov et al., Eur. Phys. J. C 35 (2004) 487-500
- 267 Evidence for a narrow baryonic state decaying to  $K_s^0$ -(anti)proton in deep inelastic scattering at HERA  
S Chekanov et al., Phys. Lett. B 591 (2004) 7-22
- 268 Measurement of beauty production in deep inelastic scattering at HERA  
S Chekanov et al., Phys. Lett. B 599 (2004) 173-189
- 269 Substructure dependence of jet cross sections at HERA and determination of  $\alpha_s$   
S Chekanov et al., Nucl. Phys. B 700 (2004) 3-50
- 270 Dissociation of virtual photons in events with a leading proton at HERA  
S Chekanov et al., Eur. Phys. J. C 38 (2004) 43-67
- 271 Search for a narrow charmed baryonic state decaying to  $D^{*+-}p^+$  in  $ep$  collisions at HERA  
S Chekanov et al., Eur. Phys. J. C 38 (2004) 29-41
- 272 Study of the pion trajectory in the photoproduction of leading neutrons at HERA  
S Chekanov et al., Phys. Lett. B 610 (2005) 199-211
- 273 Search for pentaquarks decaying to  $\Xi\pi$  at HERA  
S Chekanov et al., Phys. Lett. B 610 (2005) 212-224
- 274 Study of deep inelastic inclusive and diffractive scattering with the ZEUS Forward Plug Calorimeter  
S Chekanov et al., Nucl. Phys. B 713 (2005) 3-80
- 275 An NLO QCD analysis of inclusive cross section and jet production data from the ZEUS Experiment  
S Chekanov et al., Eur. Phys. J. C 42 (2005) 1-16

- 276 Search for lepton-flavor violation at HERA  
S Chekanov et al., Eur. Phys. J. C 44 (2005) 463-480
- 277 Forward jet production in deep inelastic  $ep$  scattering and low- $x$  parton dynamics at HERA  
S Chekanov et al., Phys. Lett. B 632 (2006) 13-26
- 278 Multijet production in neutral current Deep Inelastic Scattering at HERA and determination of  $\alpha_s$   
S Chekanov et al., Eur. Phys. J. C 44 (2005) 183-193
- 279 Exclusive electroproduction of phi mesons at HERA  
S Chekanov et al., Nucl. Phys. B 718 (2005) 3-31
- 280 Measurement of inelastic  $J/\psi$  production in Deep Inelastic Scattering at HERA  
S Chekanov et al., Eur. Phys. J. C 44 (2005) 13-25
- 281 Inclusive jet cross sections and dijet correlations in  $D^*$  photoproduction at HERA  
S Chekanov et al., Nucl. Phys. B 729 (2005) 492-525
- 282 Measurement of charm fragmentation ratios and fractions in photoproduction at HERA  
S Chekanov et al., Eur. Phys. J. C 44 (2005) 351-366
- 283 Measurement of high- $Q^2$  deep inelastic scattering cross sections with a longitudinally polarised positron beam at HERA  
S Chekanov et al., Phys. Lett. B 637 (2006) 210-222
- 284 Event shapes in deep inelastic scattering at HERA  
S Chekanov et al., Nucl. Phys. B 767 (2007) 1-28
- 285 Measurement of prompt photons with associated jets in photoproduction at HERA  
S Chekanov et al., Eur. Phys. J. C 49 (2007) 511-522
- 286 Measurement of neutral current cross sections at high Bjorken- $x$  with the ZEUS Detector at HERA  
S Chekanov et al., Eur. Phys. J. C 49 (2007) 523-544
- 287 Inclusive-jet and dijet cross sections in deep inelastic scattering at HERA  
S Chekanov et al., Nucl. Phys. B 765 (2007) 1-30
- 288 Measurement of azimuthal asymmetries in neutral current deep inelastic scattering at HERA  
S Chekanov et al., Eur. Phys. J. C 51 (2007) 289
- 289 Search for stop production in  $R$ -parity-violating supersymmetry at HERA  
S Chekanov et al., Eur. Phys. J. C 50 (2007) 269-281
- 290 Measurement of open beauty production at HERA in the  $D^*$  muon final state  
S Chekanov et al., Eur. Phys. J. C 50 (2007) 299-314
- 291 Photoproduction of events with rapidity gaps between jets at HERA  
S Chekanov et al., Eur. Phys. J. C 50 (2007) 283-297
- 292 Measurement of  $K_s^0$ , lambda, antilambda production at HERA  
S Chekanov et al., Eur. Phys. J. C 51 (2007) 1-23
- 293 Jet-radius dependence of inclusive-jet cross sections in deep inelastic scattering at HERA  
S Chekanov et al., Phys. Lett. B 649 (2007) 12-24
- 294 Leading neutron energy and  $p_T$  distributions in deep inelastic scattering and photoproduction at HERA  
S Chekanov et al., Nucl. Phys. B 776 (2007) 1-37
- 295 Measurement of  $D^{*\pm}$  meson production in  $e^\pm p$  scattering at HERA  
S Chekanov et al., Phys. Lett. B 649 (2007) 111-121
- 296 Diffractive photoproduction of  $D^*(2010)$  at HERA  
S Chekanov et al., Eur. Phys. J. C 51 (2007) 301-315
- 297 Measurement of  $D$  meson production in deep inelastic scattering at HERA  
S Chekanov et al., JHEP07 (2007) 074

- 298 Multijet production at low  $x_{Bj}$  in deep inelastic scattering at HERA  
S Chekanov et al., Nucl. Phys. B 786 (2007) 152-180
- 299 Bose-Einstein Correlations of charged and neutral kaons in deep inelastic scattering at HERA  
S Chekanov et al., Phys. Lett. B 652 (2007) 1-12
- 300 Measurement of (anti)deuteron and (anti)proton production in deep inelastic scattering at HERA  
S Chekanov et al., Nucl. Phys. B 786 (2007) 181-205
- 301 High- $E_T$  dijet photoproduction at HERA  
S Chekanov et al., Phys. Rev. D 76 (2007) 072011
- 302 Forward-jet production in Deep Inelastic  $ep$  Scattering at HERA  
S Chekanov et al., Eur. Phys. J. C 52 (2007) 515-530
- 303 Three- and four-jet final states in photoproduction at HERA  
S Chekanov et al., Nucl. Phys. B 792 (2008) 1-47
- 304 Exclusive  $\rho^0$  production in deep inelastic scattering at HERA  
S Chekanov et al., PMC Physics A 1:6
- 305 Dijet production in diffractive deep inelastic scattering at HERA  
S Chekanov et al., Eur. Phys. J. C 52 (2007) 813-832
- 306 Diffractive photoproduction of dijets in  $ep$  collisions at HERA  
S Chekanov et al., Eur. Phys. J. C 55 (2008) 177-191
- 307 Deep inelastic inclusive and diffractive scattering at  $Q^2$  values from 25 to 320  $\text{GeV}^2$  with the ZEUS forward plug calorimeter  
S Chekanov et al., Nucl. Phys. B 800 (2008) 1-76
- 308 Multi-jet cross sections in charged current  $e^\pm p$  scattering at HERA  
S Chekanov et al., Phys. Rev. D 78 (2008) 032004
- 309 Energy dependence of the charged multiplicity in deep inelastic scattering at HERA  
S Chekanov et al., JHEP06 (2008) 061
- 310 Beauty photoproduction using decays into electrons at HERA  
S Chekanov et al., Phys. Rev. D 78 (2008) 072001
- 311 Inclusive  $K_S^0 K_S^0$  resonance production in  $ep$  collisions at HERA  
S Chekanov et al., Phys. Rev. Lett. **101** (2008) 112003
- 312 Search for events with an isolated lepton and missing transverse momentum and a measurement of  $W$  production at HERA  
S Chekanov et al., Phys. Letters B 672 (2009) 106-115
- 313 Production of excited charm and charm-strange mesons at HERA  
S Chekanov et al., Eur. Phys. J. C 60 (2009) 25-42
- 314 Measurement of beauty production from dimuon events at HERA  
S Chekanov et al., JHEP02 (2009) 032
- 315 Deep inelastic scattering with leading protons or large rapidity gaps at HERA  
S Chekanov et al., Nucl. Phys. B 816 (2009) 1-61
- 316 Measurement of the charm fragmentation function in  $D^*$  photoproduction at HERA  
S Chekanov et al., JHEP04 (2009) 082
- 317 Measurement of beauty photoproduction using decays into muons in dijet events at HERA  
S Chekanov et al., JHEP04(2009) 133
- 318 Production of excited charm and charm-strange mesons at HERA  
S Chekanov et al., Eur. Phys. J. C 61 (2009) 25-45

- 319 Measurement of charged current deep inelastic scattering cross sections with a longitudinally polarised electron beam at HERA  
S Chekanov et al., Eur. Phys. J. C 61 (2009) 223-235
- 320 A measurement of the  $Q^2$ ,  $W$  and  $t$  dependences of deeply virtual Compton scattering at HERA  
S Chekanov et al., JHEP05 (2009)108
- 321 Measurement of high- $Q^2$  neutral current deep inelastic  $e^-p$  scattering cross sections with a longitudinally polarised electron beam at HERA  
S Chekanov et al., Eur. Phys. J. C 62 (2009) 625-658
- 322 Deep inelastic scattering with leading protons or large rapidity gaps at HERA  
S Chekanov et al., Nucl. Phys. B 816 (2009) 1-61
- 323 Leading proton production in deep inelastic scattering at HERA  
S Chekanov et al., JHEP06 (2009)074
- 324 Measurement of  $D^\pm$  and  $D^0$  production in deep inelastic scattering using a lifetime tag at HERA  
S Chekanov et al., Eur. Phys. J. C 63 (2009) 171-188
- 325 Scaled momentum distributions of charged particles in dijet photoproduction at HERA  
S Chekanov et al., JHEP08(2009)077
- 326 Exclusive photoproduction of  $\Upsilon$  mesons at HERA  
S Chekanov et al., Phys. Lett. B 680 (2009) 4-12
- 327 Multi-lepton production at high transverse momentum at HERA  
S Chekanov et al., Phys. Lett. B 680 (2009) 13-23
- 328 Subjet distributions in deep inelastic scattering at HERA  
S Chekanov et al., Eur. Phys. J. C 63 (2009) 527-548
- 329 Measurement of charm and beauty production in deep inelastic  $ep$  scattering from decays into muons at HERA  
S Chekanov et al., Eur. Phys. J. C 65 (2010) 65-79
- 330 Multi-leptons with high transverse momentum at HERA  
F D Aaron et al., H1 and ZEUS Collaborations, JHEP10 (2009) 013
- 331 Measurement of  $J/\psi$  helicity distributions in inelastic photoproduction at HERA  
S Chekanov et al., JHEP 12 (2009) 007
- 332 Measurement of the longitudinal proton structure function at HERA  
S Chekanov et al., Phys. Lett. B, 682 (2009) 8-22
- 333 Combined measurement and QCD analysis of the inclusive  $e^{+-}$  scattering cross section at HERA  
F D Aaron et al., H1 and ZEUS Collaborations, JHEP (2010) 1, 1-63
- 334 Events with an isolated lepton and missing transverse momentum measurement of  $W$  production at HERA  
F D Aaron et al., H1 and ZEUS Collaborations, JHEP (2010) 3, 1-19
- 335 Measurement of isolated photon production in deep inelastic  $ep$  scattering  
S Chekanov et al., Phys. Lett. B 687 (2010) 16-25
- 336 Measurement of dijet photoproduction for events with a leading neutron at HERA  
S Chekanov et al., Nucl. Phys. B 827 (2010) 1-33
- 337 A QCD Analysis of ZEUS diffractive data  
S Chekanov et al., Nucl. Phys. B 831 (2010) 1-25
- 338 Measurement of  $J/\psi$  photoproduction at large momentum transfer at HERA  
S Chekanov et al., JHEP (2010) 5, 1-36
- 339 Scaled momentum spectra in deep inelastic Scattering at HERA  
H Abramowicz et al., JHEP 6 (2010) 9  
ERRATUM: JHEP, (2010) 10, 1-6



- 340 Inclusive-jet cross sections in NC DIS at HERA and a comparison of the  $k_T$ , anti- $k_T$  and SIScone jet algorithms  
H Abramowicz et al., Phys. Lett. B 691 (2010) 127-137
- 341 Measurement of beauty production in DIS and  $F_2^{b\bar{b}}$  extraction at ZEUS  
H Abramowicz et al., Eur. Phys. J. C 69 (2010) 347-360
- 342 Measurement of high- $Q^2$  charged current deep inelastic scattering cross sections with a longitudinally polarised positron beam at HERA  
H Abramowicz et al., Eur. Phys. J. C 70 (2010) 945-963
- 343 Inclusive dijet cross sections in neutral current deep inelastic scattering at HERA  
H Abramowicz et al., Eur. Phys. J. C 70 (2010) 965-982
- 344 Measurement of  $D^+$  and  $\Lambda_c^+$  production in deep inelastic scattering at HERA  
H Abramowicz et al., JHEP 11 (2010) 1-27
- 345 Measurement of the energy dependence of the total photon-proton cross section at HERA  
H Abramowicz et al., Phys. Lett. B 697 (2011) 184-193
- 346 Measurement of beauty production in deep inelastic scattering at HERA using decays into electrons  
H Abramowicz et al., Eur. Phys. J. C 71 (2011) 1573
- 347 Study of tau-pair production at HERA  
H Abramowicz et al., JHEP 2 (2011) 117
- 348 Measurement of heavy-quark jet photoproduction at HERA  
H Abramowicz et al., Eur. Phys. J. C 71 (2011) 1659
- 349 Angular correlations in three-jet events in  $ep$  collisions at HERA  
H Abramowicz et al., Phys. Rev. D 85 (2012) 052008
- 350 Exclusive electroproduction of two pions at HERA  
H Abramowicz et al., Eur. Phys. J. C 72 (2012) 1869
- 351 Measurement of the  $t$  dependence in exclusive photoproduction of  $\Upsilon(1S)$  mesons at HERA  
H Abramowicz et al., Phys. Lett. B 708 (2012) 14-20
- 352 Search for single top production in  $ep$  collisions at HERA  
H Abramowicz et al., Phys. Lett. B 708 (2012) 27-36
- 353 Scaled momentum distributions for  $K_S^0$  and  $\Lambda/\bar{\Lambda}$  in DIS at HERA  
H Abramowicz et al., JHEP 3 (2012) 020
- 354 Search for first-generation leptoquarks at HERA  
H. Abramowicz et al., Phys. Rev. D 86 (2012) 012005
- 355 Measurement of isolated photons accompanied by jets in deep inelastic  $ep$  scattering  
H Abramowicz et al., Phys. Lett. B 715 (2012) 88-97
- 356 Inclusive-jet photoproduction at HERA and determination of  $\alpha_s$   
H. Abramowicz et al., Nucl. Phys. B 864 (2012) 1-37
- 357 Combined inclusive diffractive cross sections measured with forward proton spectrometers in deep elastic  $ep$  scattering at HERA  
F D Aaron et al, H1 and ZEUS Collaborations, Eur. Phys. J. C 72 (2012) 2175
- 358 Production of the excited charm mesons  $D_1$  and  $D_2^*$  at HERA  
H. Abramowicz et al., Nucl. Phys. B 866 (2013) 229-254
- 359 Measurement of high- $Q^2$  neutral current deep inelastic  $e^+p$  scattering cross sections with a longitudinally polarized positron beam at HERA  
H. Abramowicz et al., Phys. Rev. D 87 (2013) 052014
- 360 Production of  $Z^0$  bosons in elastic and quasi-elastic  $ep$  collisions at HERA  
H Abramowicz et al., Phys. Lett. B 718 (2013) 915-921

- 361 Combination and QCD analysis of charm production cross section measurements in deep-inelastic  $ep$  scattering at HERA  
H Abramowicz et al., H1 and ZEUS Collaborations, Eur. Phys. J. C 73 (2013) 2311
- 362 Measurement of inelastic  $J/\psi$  and  $\psi'$  photoproduction at HERA  
H Abramowicz et al., JHEP 02 (2013) 071
- 363 Measurement of  $D^\pm$  production in deep inelastic  $ep$  scattering with the ZEUS detector at HERA  
H Abramowicz et al., JHEP 05 (2013) 023
- 364 Measurement of  $D^{*\pm}$  production in deep inelastic scattering at HERA  
H Abramowicz et al., JHEP 05 (2013) 097  
Erratum JHEP 02 (2014) 106
- 365 Measurement of charm fragmentation fractions in photoproduction at HERA  
H Abramowicz et al., JHEP 09 (2013) 058
- 366 Measurement of high- $Q^2$  neutral current deep inelastic  $E + p$  scattering cross sections with a longitudinally polarized positron beam at HERA  
H Abramowicz et al., Phys. Rev. D 85 (2013) 052014
- 367 Photoproduction of isolated photons, inclusively and with a jet, at HERA  
H Abramowicz et al., Phys. Lett. B 730 (2014) 293-301
- 368 Measurement of neutral current  $e^\pm p$  cross sections at high Bjorken  $x$  with the ZEUS detector  
H Abramowicz et al., Phys. Rev. D 89 (2014) 072007
- 369 Further studies of the photoproduction of isolated photons with a jet at HERA.  
H Abramowicz et al., JHEP 08 (2014) 023
- 370 Deep inelastic cross-section measurements at large  $y$  with the ZEUS detector at HERA  
H Abramowicz et al., Phys. Rev. D 90 (2014) 072002

### The CDF Collaboration

- 371 Measurement of the mass difference  $m(D_s^+) - m(D^+)$  at CDF $\bar{\text{II}}$   
D Acosta et al., Phys. Rev. D 68 (2003) 072004
- 372 Search for the flavor-changing neutral current decay  $D^0 \rightarrow \mu^+ \mu^-$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. D 68 (2003) 091101
- 373 Measurement of prompt charm meson production cross sections in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. Lett. 91 (2003) 241804
- 374 Search for  $B^0(s) \rightarrow \mu^+ \mu^-$  and  $B^0(d) \rightarrow \mu^+ \mu^-$  decays in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. Lett. 93 (2004) 032001
- 375 Observation of the narrow state  $X(3872) \rightarrow J/\psi \pi^+ \pi^-$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. Lett. 93 (2004) 072001
- 376 Measurement of the  $t\bar{t}$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using dilepton events.  
D Acosta et al., Phys. Rev. Lett. 93 (2004) 142001
- 377 Search for doubly-charged Higgs bosons decaying to dileptons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. Lett. 93 (2004) 221802
- 378 Measurement of partial widths and search for direct  $CP$  violation in  $D^0$  meson decays to  $K^- K^+$  and  $\pi^- \pi^+$   
D Acosta et al., Phys. Rev. Lett. 94 (2005) 122001
- 379 Measurement of the  $t\bar{t}$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using kinematic fitting of  $b$ -tagged lepton + jet events  
D Acosta et al., Phys. Rev. D 71 (2005) 072005
- 380 Measurement of  $W\gamma$  and  $Z\gamma$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. Lett. 94 (2005) 041803

- 381 Search for excited and exotic electrons in the  $e\gamma$  decay channel in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. Lett. **94** (2005) 101802
- 382 Measurement of the  $t\bar{t}$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using lepton + jet events with secondary vertex  $b$ -tagging  
D Acosta et al., Phys. Rev. **D71** (2005) 052003
- 383 Search for electroweak single top quark production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. **D71** (2005) 012005
- 384 Search for anomalous production of diphoton events with missing transverse energy at CDF and limits on gauge-mediated supersymmetry-breaking models  
D Acosta et al., Phys. Rev. **D71** (2005) 031104
- 385 First measurements of inclusive  $W$  and  $Z$  cross sections from Run II of the Fermilab Tevatron Collider  
D Acosta et al., Phys. Rev. Lett. **94** (2005) 091803
- 386 Search for scalar leptoquark pairs decaying to  $\nu\bar{\nu}q\bar{q}$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. **D71** (2005) 112001  
Publisher's note, Phys. Rev. **D71** (2005) 119901
- 387 Measurement of the forward-backward charge Asymmetry of electron-positron pairs in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. **D71** (2005) 052002
- 388 Search for anomalous kinematics in  $t\bar{t}$  dilepton events at CDF II  
D Acosta et al., Phys. Rev. Lett. **95** (2005) 022001
- 389 Measurement of the cross section for prompt diphoton production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. Lett. **95** (2005) 022003
- 390 Measurement of the lifetime difference between  $B_s$  mass eigenstates  
D Acosta et al., Phys. Rev. Lett. **94** (2005) 101803
- 391 Measurement of the  $J/\psi$  meson and  $b$ -hadron production cross sections in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. **D71** (2005) 032001
- 392 Measurement of the  $W^+W^-$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using dilepton events  
D Acosta et al., Phys. Rev. Lett. **94** (2005) 211801
- 393 Measurement of the moments of the hadronic invariant mass distribution in semileptonic  $B$  decays  
D Acosta et al., Phys. Rev. **D71** (2005) 051103
- 394 Measurement of the forward-backward charge asymmetry from  $W \rightarrow e\nu$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. **D71** (2005) 051104
- 395 Search for  $ZZ$  and  $ZW$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D. Acosta et al., Phys. Rev. **D71** (2005) 091105
- 396 Study of jet shapes in inclusive jet production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. **D71** (2005) 112002
- 397 Evidence for  $B_s^0 \rightarrow \phi\phi$  decay and measurements of branching ratio and  $A_{CP}$  for  $B^+ \rightarrow \phi K^+$   
D Acosta et al., Phys. Rev. Lett. **95** (2005) 031801
- 398 Search for long-lived doubly-charged Higgs bosons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. Lett. **95** (2005) 071801
- 399 Measurement of the cross section for  $t\bar{t}$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using the kinematics of lepton + jets events  
D Acosta et al., Phys. Rev. **D72** (2005) 052003
- 400 Measurement of  $B(t \rightarrow Wb)/B(t \rightarrow Wq)$  at the Collider Detector at Fermilab  
D Acosta et al., Phys. Rev. Lett. **95** (2005) 102002

- 401 Measurement of the  $t\bar{t}$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using lepton plus jets events with semileptonic  $B$  decays to muons,  
D Acosta et al., Phys. Rev. **D72** (2005) 032002
- 402 Search for new physics using high mass tau pairs from 1.96-TeV  $p\bar{p}$  collisions  
D Acosta et al., Phys. Rev. Lett. **95** (2005) 131801
- 403 Search for  $B_s^0 \rightarrow \mu^+ \mu^-$  and  $B_d^0 \rightarrow \mu^+ \mu^-$  decays in  $p\bar{p}$  collisions with CDF II  
A Abulencia et al., Phys. Rev. Lett. **95** (2005) 221805  
Publisher's note, Phys. Rev. Lett. **95** (2005) 249905
- 404 Search for new high mass particles decaying to lepton pairs in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **95** (2005) 252001
- 405 Search for  $\Lambda_b^0 \rightarrow p\pi$  and  $\Lambda_b^0 \rightarrow pK$  decays in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
D Acosta et al., Phys. Rev. **D72** (2005) 051104
- 406 Search for new physics using high mass tau pairs from 1.96 TeV  $p\bar{p}$  collisions  
D Acosta et al., Phys. Rev. **D72** (2005) 051107
- 407 Search for neutral Higgs bosons of the Minimal Supersymmetric Standard Model decaying to  $\tau$  pairs in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 011802
- 408 Precision top quark mass measurement in the lepton + jets topology in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 022004
- 409 Measurement of the top quark mass using template methods on dilepton events at CDF II  
A Abulencia et al., Phys. Rev. **D73** (2006) 112006
- 410 Evidence for the exclusive decay  $B_c^\pm \rightarrow J/\psi\pi^\pm$  and measurement of the mass of the  $B_c^\pm$  meson  
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 082002
- 411 Search for anomalous decay of heavy flavor hadrons produced in association with a  $W$  boson at CDF II  
A Abulencia et al., Phys. Rev. **D73** (2006) 051101
- 412 Measurement of the top quark mass with the dynamical likelihood method using lepton plus jets events with  $b$ -tags in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. **D73** (2006) 092002
- 413 Top quark mass measurement using the template method in the lepton + jets channel at CDF II  
A Abulencia et al., Phys. Rev. **D73** (2006) 032003
- 414 Search for charged Higgs bosons from top quark decays in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 042003
- 415 Search for Higgs bosons decaying to  $b\bar{b}$  and produced in association with  $W$  bosons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 081803
- 416 Search for scalar bottom quarks from gluino decays in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 171802
- 417 Measurement of the ratios of branching fractions  $BR(B_s^0 \rightarrow D_s)/BR(B^0 \rightarrow D^\mp)$  and  $BR(B^+ \rightarrow \bar{D}^{0+})/BR(B^0 \rightarrow D^\mp)$   
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 191801
- 418 Measurement of the helicity of  $W$  bosons in top-quark decays  
A Abulencia et al., Phys. Rev. **D73** (2006) 111103
- 419 Search for  $Z' \rightarrow e^+e^-$  using dielectron mass and angular distribution  
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 211801
- 420 Search for high-mass resonances decaying to  $e\mu$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 211802

- 421 Observation of  $B_s^0 \rightarrow \psi(2S)\phi$  and measurement of Ratio of Branching Fractions  $B(B_s^0 \rightarrow \psi(2S)\phi)/B(B_s^0 \rightarrow J/\psi\phi)$   
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 231801
- 422 Measurement of mass and width of the excited charmed meson states  $D1$  and  $D2^*$   
A Abulencia et al., Phys. Rev. **D73** (2006) 051104
- 423 Measurement of the dipion mass spectrum in  $X(3872) \rightarrow J/\psi\pi^+\pi^-$  decays  
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 102002
- 424 Measurement of the inclusive jet cross section using the  $K_T$  algorithm in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 122001
- 425 Direct search for Dirac magnetic monopoles in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 201801
- 426 Search for second-generation scalar leptoquarks in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. **D73** (2006) 051102
- 427 Top quark mass measurement from dilepton events at CDF II,  
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 152002
- 428 Measurement of  $b$  hadron masses in exclusive  $J/\psi$  decays with the CDF detector  
D. Acosta et al., Phys. Rev. Lett. **96** (2006) 202001
- 429 Measurement of the  $t\bar{t}$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using missing  $E_T$  + jets events with secondary vertex  $b$ -tagging  
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 202002
- 430 Search for high-mass resonances decaying to  $e\mu$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **96** (2006) 211802
- 431 Measurement of  $B_c^+$  meson lifetime using  $B_c^+ \rightarrow J\psi e^+ e^-$   
A Abulencia et al., Phys. Rev. Lett. **97** (2006) 031801
- 432 Measurement of the  $b$  jet cross section in events with a  $Z$  boson in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. **D 74** (2006) 032008
- 433 Search for new physics in lepton + photon +  $X$  events with  $305 \text{ pb}^{-1}$  of  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV,  
A Abulencia et al., Phys. Rev. Lett. **97** (2006) 031801
- 434 Measurement of the ratio of branching fractions  $B(D^0 \rightarrow K^+\pi^-)/B(D^0 \rightarrow K^-\pi^+)$  using the CDF II detector  
A Abulencia et al., Phys. Rev. **D74** (2006) 031109
- 435 Measurement of the  $B_s^0 - \bar{B}_s^0$  oscillation frequency  
A Abulencia et al., Phys. Rev. Lett. **97** (2006) 062003
- 436 Search for a neutral Higgs boson decaying to a  $W$  boson pair in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **97** (2006) 081802
- 437 Search for Large Extra Dimensions in the production of jets and missing transverse energy in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **97** (2006) 171802
- 438 Top quark mass measurement from dilepton events at CDF II with the matrix-element method  
A Abulencia et al., Phys. Rev. **D74** (2006) 032009
- 439 Measurement of the inclusive jet cross section in  $p\bar{p}$  interactions at  $\sqrt{s} = 1.96$  TeV using a cone-based jet algorithm  
A Abulencia et al., Phys. Rev. **D74** (2006) 071103
- 440 Measurement of the  $t\bar{t}$  cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV in the all hadronic decay mode  
A Abulencia et al., Phys. Rev. **D74** (2006) 072005

- 441 Measurement of the  $t\bar{t}$  cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using lepton+jets events with jet probability  $b$ -tagging  
A Abulencia et al., Phys. Rev. D **74** (2006) 072006
- 442 Search for excited and exotic muons in the  $\mu\gamma$  decay channel in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **97** (2006) 191802
- 443 Observation of  $B_s^0 \rightarrow K^+K^-$  and measurements of branching fractions of charmless Two-body decays of  $B^0$  and  $B_s^0$  mesons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **97** (2006) 211802
- 444 Observation of  $B_s^0 - \bar{B}_s^0$  oscillations  
A Abulencia et al., Phys. Rev. Lett. **97** (2006) 242003
- 445 Measurement of the ratios of branching fractions  $B(B_s^0 \rightarrow D_s^- \pi^+ \pi^+ \pi^-)/B(B^0 \rightarrow D^- \pi^+ \pi^+ \pi^-)$  and  $B(B_s^0 \rightarrow D_s^- \pi^+)/B(B^0 \rightarrow D^- \pi^+)$   
A Abulencia et al., Phys. Rev. Lett. **98** (2007) 061802
- 446 Measurement of the  $B^+$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. D **75** (2007) 012010
- 447 Search for exotic  $S = -2$  baryons  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. D **75** (2007) 032003
- 448 Search for V+A current in top-quark decays in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia, et al., Phys. Rev. Lett. **98** (2007) 072001
- 449 Observation of exclusive electron-positron production in hadron-hadron collisions  
A Abulencia, et al., Phys. Rev. Lett. **98** (2007) 112001
- 450 Measurement of  $\sigma_{\Lambda_b^0}/\sigma_{\bar{B}^0} \times B(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-)/B(B^0 \rightarrow D^+ \pi^-)$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **98** (2007) 122002
- 451 Measurement of the  $\Lambda_b^0$  lifetime in  $\Lambda_b^0 \rightarrow J/\psi \Lambda^0$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **98** (2007) 122001
- 452 Precision measurement of the top quark mass from dilepton events at CDF II  
A. Abulencia et al., Phys. Rev. D **75** (2007) 031105
- 453 Measurement of the helicity fractions of  $W$  bosons from top quark decays using fully reconstructed  $t\bar{t}$  events with CDF II  
A Abulencia et al., Phys. Rev. D **75** (2007) 052001
- 454 analysis of the quantum numbers JPC of the  $X(3872)$   
A Abulencia et al., Phys. Rev. Lett. **98** (2007) 132002
- 455 Search for anomalous production of multilepton events in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **98** (2007) 131804
- 456 Measurement of the top quark mass in all-hadronic decays in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Aaltonen et al., Phys. Rev. Lett. **98** (2007) 142001
- 457 Measurement of the top quark mass in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using the decay length technique  
A Abulencia et al., Phys. Rev. D **75** (2007) 071102
- 458 Observation of  $WZ$  production  
A Abulencia et al., Phys. Rev. Lett. **98** (2007) 161801
- 459 Measurement of  $\sigma(p\bar{p} \rightarrow Z).B(Z \rightarrow \tau\tau)$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. D **75** (2007) 092004
- 460 First measurement of the ratio of central-electron to forward-electron  $W$  partial cross sections in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **98** (2007) 251801
- 461 Measurement of  $\sigma\chi_2^c.B(\chi_2^c \rightarrow J/\psi\gamma)/\sigma\chi_1^c.B(\chi_1^c \rightarrow \gamma\gamma)$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
A Abulencia et al., Phys. Rev. Lett. **98** (2007) 232001

- 462 Search for new physics in lepton + photon +  $X$  events with  $929 \text{ pb}^{-1}$  of  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96 \text{ TeV}$   
A Abulencia et al., Phys. Rev. **D75** (2007) 112001
- 463 Inclusive search for new physics with like-sign dilepton events in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96 \text{ TeV}$   
A Abulencia et al., Phys. Rev. Lett. **98**, (2007) 221803
- 464 Measurement of the inclusive jet cross section using the  $k_T$  algorithm in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96 \text{ TeV}$   
with the CDF II Detector  
A Abulencia et al., Phys. Rev. **D75** (2007) 092006
- 465 Measurement of the top-quark mass using missing  $E_T$  + jets events with secondary vertex b-tagging at  
CDF II  
T Aaltonen et al., Phys. Rev. **D75** (2007) 111103
- 466 Search for  $W$  boson decaying into electron-neutrino pairs in  $p\bar{p}$  collisions collisions at  $\sqrt{s} = 1.96 \text{ TeV}$   
T Abulencia et al., Phys. Rev. **D75** (2007) 091101
- 467 Observation and mass measurement of the baryon  $\Xi_b$   
T Aaltonen et al., Phys. Rev. Lett. **99** (2007) 052002
- 468 Search for heavy, long-lived particles that decay to photons at CDF II  
A Abulencia et al., Phys. Rev. Lett. **99** (2007) 121801
- 469 Polarization of  $J/\psi$  and  $\psi(2S)$  mesons produced in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96 \text{ TeV}$   
A Abulencia et al., Phys. Rev. Lett. **99** (2007) 132001
- 470 First measurement of the  $W$ -boson mass in Run II the Tevatron  
T Aaltonen et al., Phys. Rev. Lett. **99** (2007) 151801
- 471 Search for new physics in high mass electron-positron events in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96 \text{ TeV}$   
T Aaltonen et al., Phys. Rev. Lett. **99** (2007) 171802
- 472 Search for a high-mass diphoton state and limits on Randall-Sundrum gravitons at CDF  
T Aaltonen et al., Phys. Rev. Lett. **99** (2007) 171801
- 473 Search for new particles leading to  $Z$  + jets final states in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96 \text{ TeV}$   
T Aaltonen et al., Phys. Rev. **D76** (2007) 072006
- 474 Measurement of the  $p\bar{p} \rightarrow t\bar{t}$  production cross section and the top quark mass at  $\sqrt{s} = 1.96 \text{ TeV}$  in the  
all-hadronic decay Mode  
T Aaltonen et al., Phys. Rev. **D76** (2007) 072009
- 475 Search for direct pair production of supersymmetric top and supersymmetric bottom quarks in  $p\bar{p}$  collisions  
at  $\sqrt{s} = 1.96 \text{ TeV}$   
T Aaltonen et al., Phys. Rev. **D76** (2007) 072010
- 476 Precise measurement of the top quark mass in the lepton + jets topology at CDF II  
A Abulencia et al., Phys. Rev. Lett. **99** (2007) 182002
- 477 Measurements of inclusive  $W$  and  $Z$  cross sections in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96 \text{ TeV}$   
A Abulencia et al., J. Phys. G (2007) 2457-2544
- 478 First observation of heavy baryons  $\Sigma_b$  and  $\Sigma_b^*$   
T Aaltonen et al., Phys. Rev. Lett. **99** (2007) 202001
- 479 Search for chargino-neutralino production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96 \text{ TeV}$   
T Aaltonen et al., Phys. Rev. Lett. **99** (2007) 191806
- 480 Limits on anomalous triple gauge couplings in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96 \text{ TeV}$   
T Aaltonen et al., Phys. Rev. **D76**, (2007) 111103
- 481 Search for exclusive gamma gamma production in hadron-hadron collisions  
T Aaltonen et al., Phys. Rev. Lett. **99** (2007) 242002
- 482 First observation of the decay  $B_s^0 \rightarrow D_s - D_s^+$  and measurement of its branching ratio  
A Abulencia et al., Phys. Rev. Lett. **100** (2008) 021803

- 483 Search for standard model Higgs bosons produced in association with  $W$  bosons  
T Aaltonen et al., Phys. Rev. Lett. **100** (2008) 041801
- 484 Measurement of the cross section for  $W$ -boson production in association with jets in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. **D77** , (2008) 011108
- 485 Observation of orbitally excited  $B_s$  mesons  
T Aaltonen et al., Phys. Rev. Lett. **100** (2008) 082001
- 486 A direct measurement of the  $W$  boson width in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **100** (2008) 071801
- 487 Cross section constrained top quark mass measurement from dilepton events at the Tevatron  
T Aaltonen et al., Phys. Rev. Lett. **100** (2008) 062005
- 488 Search for chargino-neutralino production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV with high- $p(t)$  leptons  
T Aaltonen et al., Phys. Rev. **D77** (2008) 052002
- 489 Limits on the production of narrow  $t\bar{t}$  resonances in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. **D77** (2008) 051102
- 490 Observation of exclusive dijet production at the Fermilab Tevatron  $p\bar{p}$  Collider  
T Aaltonen et al., Phys. Rev. **D77** (2008) 052004
- 491 Search for  $B^0(s) \rightarrow \mu^+\mu^-$  and  $B^0(d) \rightarrow \mu^+\mu^-$  decays in  $2 \text{ fb}^{-1}$  of  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **100** (2008) 101802
- 492 First measurement of the production of a  $W$  boson in association with a single charm quark  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **100** (2008) 091803
- 493 Measurement of inclusive jet cross sections in  $Z/\gamma^*(-i, e+e-)+\text{jets}$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **100** (2008) 102001
- 494 Measurement of ratios of fragmentation fractions for bottom hadrons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. **D77** (2008) 072003
- 495 Search for heavy top-like quarks using lepton plus jets events in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **100** (2008) 161803
- 496 Evidence for  $D^0\bar{D}^0$  mixing using the CDF II Detector  
T Aaltonen et al., Phys. Rev. Lett. **100** (2008) 121802
- 497 First flavor-tagged determination of bounds on mixing-induced CP violation in  $B^0 \rightarrow J/\psi\phi$  decays  
T Aaltonen et al., Phys. Rev. Lett. **100** (2008) 161802
- 498 Two-particle momentum correlations in jets produced in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. **D77** (2008) 092001
- 499 Measurement of correlated  $b\bar{b}$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. **D77** (2008) 072004
- 500 Observation of the decay  $B_c^\pm \rightarrow J/\psi\pi^\pm$  and Measurement of the  $B_c^\pm$  mass  
T Aaltonen et al., Phys. Rev. Lett. **100** (2008) 182002
- 501 Measurement of lifetime and decay-width difference in  $B^0(s) \rightarrow J/\psi\phi$  decays  
T Aaltonen et al., Phys. Rev. Lett. **100** (2008) 121803
- 502 Search for resonant  $t\bar{t}$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **100** (2008) 231801
- 503 Search for third generation vector leptoquarks in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. **D77** (2008) 091105



- 504 First Run II Measurement of the  $W$  boson mass  
T Aaltonen et al., Phys. Rev. D**77** (2008) 112001
- 505 Search for the Higgs boson in events with missing transverse energy and  $b$  quark jets produced in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **100** (2008) 211801
- 506 Strong evidence for  $ZZ$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **100** (2008) 201801
- 507 cross section measurements of high- $p(t)$  dilepton final-state processes using a global fitting method  
A Abulencia et al., Phys. Rev. D**78** (2008) 012003
- 508 Model-Independent and quasi-model-independent search for new physics at CDF  
T Aaltonen et al., Phys. Rev. D**78** (2008) 012002
- 509 Search for new heavy particles decaying into  $Z^0 Z^0 \rightarrow eeee$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D**78** (2008) 012008
- 510 Search for Standard Model Higgs boson production in association with a  $W$  boson at CDF  
T Aaltonen et al., Phys. Rev. D**78** (2008) 032008
- 511 Search for pair production of scalar top quarks decaying to a  $\tau$  lepton and a  $b$  quark in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **101** (2008) 071802  
Publisher's note, Phys. Rev. Lett. **101** (2008) 089901
- 512 Search for doubly charged Higgs bosons with lepton-flavor-violating decays involving tau leptons  
T Aaltonen et al., Phys. Rev. Lett. **101** (2008) 121801
- 513 Search for heavy, long-lived neutralinos that decay to photons at CDF II using photon timing  
T Aaltonen et al., Phys. Rev. D**78** (2008) 032015
- 514 Measurement of the inclusive jet cross section at the Fermilab Tevatron  $p\bar{p}$  collider using a cone-based jet algorithm  
T Aaltonen et al., Phys. Rev. D**78** (2008) 052006  
Erratum, Phys. Rev. D**79** (2009) 119902
- 515 Measurement of b-jet shapes in inclusive jet production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D**78** (2008) 072005
- 516 Search for the flavor changing neutral current decay  $t \rightarrow Zq$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **101** (2008) 192002
- 517 Forward-backward asymmetry in top quark production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **101** (2008) 202001
- 518 Search for large extra dimensions in final states containing one photon or jet and large missing transverse energy produced in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **101** (2008) 181602
- 519 First Measurement of the fraction of top quark pair production through gluon-gluon fusion  
T Aaltonen et al., Phys. Rev. D**78** (2008) 111101
- 520 Search for Higgs boson produced with  $Z \rightarrow l^+ l^-$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **101** (2008) 251803
- 521 Measurement of the single top quark production cross section at CDF  
T Aaltonen et al., Phys. Rev. Lett. **101** (2008) 252001
- 522 Search for supersymmetry in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using the trilepton signature of chargino-neutralino production  
T Aaltonen et al., Phys. Rev. Lett. **101** (2008) 251801
- 523 Global search for new physics with  $2.0 \text{ fb}^{-1}$  at CDF  
T Aaltonen et al., Phys. Rev. D**79** (2009) 011101

- 524 Search for the rare B decays  $B^+ \rightarrow \mu^+ \mu^- K^+$ ,  $B^0 \rightarrow \mu^+ \mu^- K^*(892)^0$ , and  $B^0(s) \rightarrow \mu^+ \mu^- \phi$  at CDF  
T Aaltonen et al., Phys. Rev. **D79** (2009) 011104
- 525 Search for a Higgs boson decaying to two  $W$  bosons at CDF  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 021802
- 526 Search for high-mass  $e^+e^-$  resonances in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 031801  
Publishers note: Phys. Rev. Lett. **102** (2009) 059901
- 527 Search for maximal flavor violating scalars in same-charge lepton pairs in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 041801
- 528 Direct bound on the total decay width of the top quark in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 042001
- 529 Measurement of the fraction of  $t\bar{t}$  production via gluon-gluon fusion in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. **D79** (2009) 031101
- 530 First Measurement of the ratio of branching fractions  $B(\Lambda^0(b) \rightarrow \Lambda_c^+ \mu^- \bar{\nu}_\mu)/B(\Lambda^0(b) \rightarrow \Lambda_c^+ \pi^\pm)$   
T Aaltonen et al., Phys. Rev. **D79** (2009) 032001
- 531 Search for new physics in the  $\mu\mu + e/\mu + \text{missing } E(t)$  channel with a low-p(t) lepton threshold at the Collider Detector at Fermilab  
T Aaltonen et al., Phys. Rev. **D79** (2009) 052004
- 532 A search for high-mass resonances decaying to dimuons at CDF  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 091805
- 533 Measurement of Resonance parameters of orbitally excited narrow  $B^0$  mesons  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 102003
- 534 Measurement of the  $t\bar{t}$  production cross section in  $2 \text{ fb}^{-1}$  of  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using lepton plus jets events with soft muon  $b$ -tagging,  
T Aaltonen et al., Phys. Rev. **D79** (2009) 052007
- 535 Measurement of cross sections for  $b$ -jet production in events with a  $Z$  boson in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. **D79** (2009) 052008
- 536 Inclusive search for squark and gluino production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 121801
- 537 Search for top-quark production via flavor-changing neutral currents in  $W + 1$  jet events at CDF  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 151801
- 538 Measurement of the top quark mass with dilepton events selected using neuroevolution at CDF II  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 152001
- 539 Top quark mass measurement in the lepton plus jets channel using a modified matrix element method  
T Aaltonen et al., Phys. Rev. **D79** (2009) 072001
- 540 Measurement of the top quark mass at CDF using the neutrino  $\phi$  weighting template method on a lepton plus isolated track sample,  
T Aaltonen et al., Phys. Rev. **D79**(2009) 072005
- 541 Top quark mass measurement in the  $t\bar{t}$  all hadronic channel using a matrix element technique in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. **D79** (2009) 072010
- 542 Measurement of the  $b$ -hadron production cross section using decays to  $\mu - D^0 X$  final states in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. **D79** (2009) 092003
- 543 First simultaneous measurement of the top quark mass in the lepton + jets and dilepton channels at CDF  
T Aaltonen et al., Phys. Rev. **D79** (2009) 092005

- 544 Search for new particles decaying into dijets in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. **D79** (2009) 112002
- 545 Measurement of  $W$ -boson helicity fractions in top-quark decays using  $\cos\theta^*$   
T Aaltonen et al., Phys. Lett. B **674** (2009) 160-167
- 546 Direct measurement of the  $W$  production charge asymmetry in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 181801
- 547 Search for the decays  $B_{(s)}^0 \rightarrow e^+\mu^-$  and  $B_{(s)}^0 \rightarrow e^+e^-$  in CDF Run II,  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 201801
- 548 Search for gluino-mediated bottom squark production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 221801
- 549 Search for exclusive  $Z$  boson production and observation of high mass  $p\bar{p} \rightarrow p\gamma\gamma\bar{p} \rightarrow p\ell^+\ell^-\bar{p}$  events in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 222002
- 550 First measurement of the  $t\bar{t}$  differential cross section  $d\sigma/dM_{t\bar{t}}$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 222003
- 551 Measurement of the  $k_T$  distribution of particles in jets produced in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 232002
- 552 Observation of exclusive charmonium production and  $\gamma\gamma \rightarrow \mu^+\mu^-$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 242001
- 553 Evidence for a narrow near-threshold structure in the  $J/\psi\phi$  mass spectrum in  $B^+ \rightarrow J/\psi\phi K^+$  decays,  
T Aaltonen et al., Phys. Rev. Lett. **102** (2009) 242002
- 554 Measurement of the ratio of branching fractions  $BB \rightarrow J/\psi\pi^\pm / BB \rightarrow J/\psi K^\pm$   
A Abulencia et al., Phys. Rev. **D79** (2009) 112003
- 555 Measurement of particle production and inclusive differential cross sections in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. **D79** (2009) 112005  
Erratum, Phys. Rev. **D82** (2010) 119903
- 556 A measurement of the  $t\bar{t}$  cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using dilepton events with a lepton plus Track Selection,  
T Aaltonen et al., Phys. Rev. **D79** (2009) 112007
- 557 Search for  $WW$  and  $WZ$  production in lepton plus jets final states at CDF  
T Aaltonen et al., Phys. Rev. **D79** (2009) 112011
- 558 Search for narrow resonances lighter than  $\Upsilon$  mesons  
T Aaltonen et al., Eur. Phys. J. C **62** (2009) 319-326
- 559 Searching the inclusive  $\ell\gamma$  missing  $E(t)+b$ -quark signature for radiative top quark decay and non-Standard-Model processes  
T Aaltonen et al., Phys. Rev. **D80** (2009) 011102
- 560 Search for a Standard Model Higgs boson production in association with a  $W$  boson using a neural network discriminant at CDF  
T Aaltonen et al., Phys. Rev. **D80** (2009) 012002
- 561 Production of  $\psi(2S)$  mesons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. **D 80** (2009) 031103
- 562 Measurement of the mass of the top quark using the invariant mass of lepton pairs in soft muon  $b$ -tagged events  
T Aaltonen et al., Phys. Rev. **D 80** (2009) 051104
- 563 Search for the neutral current top quark decay  $t \rightarrow Zc$  using ratio of  $Z$ -boson + 4 jets to  $W$ -boson + 4 jets production  
T Aaltonen et al., Phys. Rev. **D 80** (2009) 052001

- 564 Search for anomalous production of events with a photon, jet,  $b$ -quark jet, and missing transverse energy  
T Aaltonen et al., Phys. Rev. D **80** (2009) 052003
- 565 Search for hadronic decays of  $W$  and  $Z$  bosons in photon events in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **80** (2009) 052011  
Publisher's note, Phys. Rev. D **80** (2009) 079901
- 566 A search for the Higgs boson produced in association with  $Z \rightarrow \ell^+\ell^-$  using the matrix element method at CDF II  
T Aaltonen et al., Phys. Rev. D **80** (2009) 071101
- 567 Observation of the  $\Omega_b^-$  and measurement of the properties of the  $\Xi_b^-$  and  $\Omega_b^-$  baryons  
T Aaltonen et al., Phys. Rev. D **80** (2009) 072003
- 568 Search for long-lived massive charged particles in 1.96 TeV  $p\bar{p}$  collisions  
T Aaltonen et al., Phys. Rev. Lett. **103** (2009) 021802
- 569 Observation of new charmless decays of bottom hadrons  
T Aaltonen et al., Phys. Rev. Lett. **103** (2009) 031801
- 570 Search for a fermiophobic Higgs boson decaying into diphotons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **103** (2009) 061803
- 571 Search for the production of narrow  $t\bar{b}$  resonances in  $1.9 \text{ fb}^{-1}$  of  $p\bar{p}$  collisions collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **103** (2009) 041801
- 572 First observation of vector boson pairs in a hadronic final state at the Tevatron Collider  
T Aaltonen et al., Phys. Rev. Lett. **103** (2009) 091803
- 573 Observation of electroweak single top quark production  
T Aaltonen et al., Phys. Rev. Lett. **103** (2009) 092002
- 574 Search for a Standard Model Higgs boson in  $WH \rightarrow \ell\nu ub\bar{b}$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **103** (2009) 101802
- 575 Search for charged Higgs bosons in decays of top quarks in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **103** (2009) 101803
- 576 Precision measurement of the X(3872) mass in  $J/\psi\pi^+\pi^-$  decays  
T Aaltonen et al., Phys. Rev. Lett. **103** (2009) 152001
- 577 First observation of  $\bar{B}_s^0 \rightarrow D^\pm K^\mp$  and measurement of the ratio of branching fractions  $B(\bar{B}_s^0 \rightarrow D^\pm K^\mp)/B(\bar{B}_s^0 \rightarrow D_s^+\pi^-)$   
T Aaltonen et al., Phys. Rev. Lett. **103** (2009) 191802
- 578 Search for Higgs bosons predicted in two-Higgs-doublet models via decays to tau lepton pairs in 1.96 TeV  $p\bar{p}$  collisions  
T Aaltonen et al., Phys. Rev. Lett. **103** (2009) 201801
- 579 A search for the associated production of the Standard-Model Higgs boson in the all-hadronic channel  
T Aaltonen et al., Phys. Rev. Lett. **103** (2009) 221801
- 580 Measurement of the inclusive isolated prompt photon cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using the CDF detector  
T Aaltonen et al., Phys. Rev. D **80** (2009) 111106
- 581 Search for supersymmetry with gauge-mediated breaking in diphoton events with missing transverse energy at CDF II  
T Aaltonen et al., Phys. Rev. Lett. **104** (2010) 011801
- 582 Inclusive search for Standard Model Higgs boson production in the  $WW$  decay channel using the CDF II Detector  
T Aaltonen et al., Phys. Rev. Lett. **104** (2010) 061803
- 583 Combination of Tevatron searches for the Standard Model Higgs boson in the  $W^+W^-$  decay mode  
T Aaltonen et al., Phys. Rev. Lett. **104** (2010) 061802

- 584 Measurement of the top quark mass in the dilepton channel using  $m_{T2}$  at CDF  
T Aaltonen et al., Phys. Rev. **D81** (2010) 031102
- 585 Measurement of branching fraction ratios and  $CP$  asymmetries in  $B^\pm \rightarrow D_{CP}K^\pm$  decays in hadron collisions  
T Aaltonen et al., Phys. Rev. **D81** (2010) 031105
- 586 Measurements of the top-quark mass using charged particle tracking  
T Aaltonen et al., Phys. Rev. **D81** (2010) 032002
- 587 Search for new bottomlike quark pair decays  $QQ^- \rightarrow (tW^\mp)(\bar{t}W^\pm)$  in same-charge dilepton events  
T Aaltonen et al., Phys. Rev. Lett. **104** (2010) 091801
- 588 Measurement of the  $WW + WZ$  production cross section using the lepton + jets final state at CDF II  
T Aaltonen et al., Phys. Rev. Lett. **104** (2010) 101801
- 589 Measurement of the  $\Lambda_b^0$  lifetime in  $\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-$  decays in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **104** (2010) 102002
- 590 Measurement of the top quark mass and  $p\bar{p} \rightarrow t\bar{t}$  cross section in the all-hadronic mode with the CDF II detector  
T Aaltonen et al., Phys. Rev. **D81** (2010) 052001
- 591 A Study of the associated production of photons and  $b$ -quark jets in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. **D81** (2010) 052006
- 592 Search for technicolor particles produced in association with a  $W$  boson at CDF  
T Aaltonen et al., Phys. Rev. Lett. **104** (2010) 111802
- 593 Measurement of the  $b$ -jet cross section in events with a  $W$  boson in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **104** (2010) 131801
- 594 A search for the Higgs boson using neural networks in events with missing energy and  $b$ -quark jets in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **104** (2010) 141801
- 595 Search for single top quark production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV in the missing transverse energy plus jets topology  
T Aaltonen et al., Phys. Rev. **D81** (2010) 072003
- 596 Measurement of the  $t\bar{t}$  production cross sections in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using soft electron  $b$ -tagging  
T Aaltonen et al., Phys. Rev. **D 81** (2010) 092002
- 597 Measurement of the  $W^+W^-$  production cross section and search for anomalous  $WW\gamma$  and  $WWZ$  Couplings in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **104** (2010) 201801  
Publisher's Note: Phys. Rev. Lett. **105** (2010) 019905
- 598 Search for  $WW$  and  $WZ$  Resonances decaying to electron, missing  $E_T$ , and two jets in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **104** (2010) 241801
- 599 Search for pair production of supersymmetric top quarks in dilepton events in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **104** (2010) 251801
- 600 First measurement of the ratio  $\sigma_{t\bar{t}}/\sigma_{Z/\text{gamma}\rightarrow ll}$  and precise extraction of the  $t\bar{t}$  cross section  
T Aaltonen et al., Phys. Rev. Lett. **105** (2010) 012001
- 601 Combined Tevatron upper limit on  $gg \rightarrow H \rightarrow W^+W^-$  and constraints on the Higgs boson mass in fourth-generation fermion models  
T Aaltonen et al., Phys. Rev. **D82** (2010) 011102
- 602 Measurement of  $W$ -boson polarization in top-quark decay in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **105** (2010) 042002

- 603 Search for a new color-octet vector particle decaying to  $t\bar{t}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Lett. B 691 (2010) 183-90
- 604 Search for the production of scalar bottom quarks in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **105** (2010) 081802
- 605 Measurement of  $Z\gamma$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D**82** (2010) 031103
- 606 Studying the underlying event in Drell-Yan and high transverse momentum jet production at the Tevatron  
T Aaltonen et al., Phys. Rev. D**82** (2010) 034001
- 607 Measurement of the top pair production cross section in the dilepton decay channel in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D**82** (2010) 052002
- 608 Exclusion of an exotic top quark with  $-4/3$  electric charge using soft lepton tagging  
T Aaltonen et al., Phys. Rev. Lett. **105** (2010) 101801
- 609 Search for new physics with a dijet plus missing  $E_T$  signature in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **105** (2010) 131801
- 610 Measurement of  $d\sigma/dy$  of Drell-Yan pairs in the  $Z$  mass region from  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Lett. B 692 (2010) 232-239
- 611 Study of multi-muon events produced in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Eur. Phys. J. 68 (2010) 109-118  
Comments and reply: S Bethge, T Aaltonen et al., Eur. Phys. J. 68 (2010) 119-123
- 612 Search for anomalous production of events with two photons and additional energetic objects at CDF  
T Aaltonen et al., Phys. Rev. D**82** (2010) 052005
- 613 Updated search for the flavor-changing neutral-current decay  $D_0 \rightarrow \mu^+\mu_-$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D**82** (2010) 091105
- 614 Search for the supersymmetric partner of the top quark in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D**82** (2010) 092001
- 615 Search for  $R$ -parity violating decays of Sneutrinos to  $e\mu, \mu\tau$ , and  $e\tau$  pairs in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **105** (2010) 191801
- 616 Direct top-quark width measurement at CDF  
T Aaltonen et al., Phys. Rev. Lett. **105** (2010) 232003
- 617 Improved search for a Higgs boson produced in association with  $Z \rightarrow l^+l^-$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **105** (2010) 251802
- 618 Top quark mass measurement in the lepton+jets channel using a matrix element method and *in situ* jet energy calibration  
T Aaltonen et al., Phys. Rev. Lett. **105** (2010) 252001
- 619 Measurement of the  $WW + WZ$  cross section using a matrix element technique in lepton+jets events  
T Aaltonen et al., Phys. Rev. D**82** (2010) 112001
- 620 Diffractive  $W$  and  $Z$  production at the Fermilab Tevatron  
T Aaltonen et al., Phys. Rev. D**82** (2010) 112004
- 621 Observation of single top quark production and measurement of  $|V_{tb}|$  with CDF  
T Aaltonen et al., Phys. Rev. D**82** (2010) 112005
- 622 Search for Randall-Sundrum gravitons in the diphoton channel at CDF  
T Aaltonen et al., Phys. Rev. D **83** (2011) 011102

- 623 Search for a new heavy gauge boson  $W'$  with event signature electron + missing transverse energy in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **83** (2011) 031102
- 624 Measurement of the  $B^-$  lifetime using a simulation free approach for trigger bias correction  
T Aaltonen et al., Phys. Rev. D **83** (2011) 032008
- 625 Measurement of  $t\bar{t}$  spin correlation in  $p\bar{p}$  collisions using the CDF II detector at the Tevatron  
T Aaltonen et al., Phys. Rev. D **83** (2011) 031104
- 626 Search for high mass resonances decaying into muon pairs in  $\sqrt{s} = 1.96$  TeV  $p\bar{p}$  collisions  
T Aaltonen et al., Phys. Rev. Lett. **106** (2011) 121803
- 627 Measurement of  $b$  hadron lifetimes in exclusive decays containing a  $J/\psi$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **106** (2011) 121804
- 628 Observation of  $B_s^0 \rightarrow J/\psi K^{*(892)0}$  and  $B_s^0 \rightarrow J/\psi K_s^0$  decays  
T Aaltonen et al., Phys. Rev. D **83** (2011) 052012
- 629 Search for heavy bottomlike quarks decaying into an electron or muon and jets in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **106** (2011) 141803
- 630 Measurement of the mass difference between  $t$  and  $\bar{t}$  quarks  
T Aaltonen et al., Phys. Rev. Lett. **106** (2011) 152001
- 631 Measurement of the forward-backward asymmetry in the  $B \rightarrow K^{(*)}\mu^+\mu^-$  decay and first observation of the  $B_s^0 \rightarrow \phi\mu^+\mu^-$  decay  
T Aaltonen et al., Phys. Rev. Lett. **106** (2011) 161801
- 632 Measurement of the  $t\bar{t}$  production cross section with an *in situ* calibration of  $b$ -jet identification efficiency  
T Aaltonen et al., Phys. Rev. D **83** (2011) 071102
- 633 Invariant mass distribution of jet pairs produced in association with a  $W$  boson in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **106** (2011) 171801
- 634 Measurement of direct  $CP$  violating asymmetries in charmless decays of strange bottom mesons and bottom baryons  
T Aaltonen et al., Phys. Rev. Lett. **106** (2011) 181802
- 635 Search for production of heavy particles decaying to top quarks and invisible particles in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **106** (2011) 191801
- 636 Top quark mass measurement using the template method at CDF  
T Aaltonen et al., Phys. Rev. D **83** (2011) 111101
- 637 Evidence for a mass dependent forward-backward asymmetry in top quark pair production  
T Aaltonen et al., Phys. Rev. D **83** (2011) 112003
- 638 First measurement of the angular coefficients of Drell-Yan  $e^+e^-$  pairs in the  $Z$  mass region from  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **106** (2011) 241801
- 639 Measurement of event shapes in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **83** (2011) 112007
- 640 Search for new heavy particles decaying to  $Z \rightarrow \ell\ell\ell\ell, \ell\ell jj$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **83** (2011) 112008
- 641 Search for a very light Higgs boson in top-quark decays from  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **107** (2011) 031801
- 642 Measurement of the properties of  $\Lambda_c(2595)$ ,  $\Lambda_c(2625)$ ,  $\Sigma_c(2455)$ , and  $\Sigma_c(2520)$  baryons  
T Aaltonen et al., Phys. Rev. D **84** (2011) 012003

- 643 First search for multijet resonances in  $\sqrt{s} = 1.96$  TeV  $p\bar{p}$  collisions  
T Aaltonen et al., Phys. Rev. Lett. **107** (2011) 042001
- 644 Search for new dielectron resonances and Randall-Sundrum gravitons at the Collider Detector at Fermilab  
T Aaltonen et al., Phys. Rev. Lett. **107** (2011) 0051801
- 645 Limits on trilinear gauge couplings in  $Z\gamma$  events from  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **107** (2011) 051802
- 646 Measurement of the top pair production cross section in the lepton+jets channel using a jet flavor discriminant  
T Aaltonen et al., Phys. Rev. D **84** (2011) 031101
- 647 Measurement of the  $t\bar{t}$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using events with large missing transverse energy and jets  
T Aaltonen et al., Phys. Rev. D **84** (2011) 032003
- 648 Improved determination of the sample composition of dimuon events produced in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Eur. Phys. J. C **71** (2011) 1720
- 649 Observation of the  $\Xi_b^0$  baryon  
T Aaltonen et al., Phys. Rev. Lett. **107** (2011) 102001
- 650 Evidence for  $t\bar{t}\gamma$  production and measurement of  $\sigma_{t\bar{t}\gamma}/\sigma_{t\bar{t}}$   
T Aaltonen et al., Phys. Rev. D **84** (2011) 031104
- 651 Measurement of the cross section for prompt isolated diphoton production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **107** (2011) 102003
- 652 Measurement of the cross section for prompt isolated diphoton production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D. **84** (2011) 052006
- 653 Search for the Higgs boson in the all-hadronic final state using the CDF-II detector  
T Aaltonen et al., Phys. Rev. D. **84** (2011) 052010
- 654 Measurement of branching ratio and  $B^0$  lifetime in the decay  $B_s^0 \rightarrow J/\psi f^0(980)$  at CDF  
T Aaltonen et al., Phys. Rev. D. **84** (2011) 052012
- 655 Search for resonant production of  $t\bar{t}$  decaying to jets in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **84** (2011) 072003
- 656 Measurement of the top-quark mass in the lepton+jets channel using a matrix element technique with the CDF II detector  
T Aaltonen et al., Phys. Rev. D **84** (2011) 071105
- 657 Search for new physics in high  $p_T$  like-sign dilepton events at CDF II  
T Aaltonen et al., Phys. Rev. Lett. **107** (2011) 181801
- 658 Search for resonant production of  $t\bar{t}$  pairs in 4.8 fb<sup>-1</sup> of integrated luminosity of  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **84** (2011) 072004
- 659 Search for  $B_s \rightarrow \mu^+\mu^-$  and  $B \rightarrow \mu^+\mu^-$  decays with CDF II  
T Aaltonen et al., Phys. Rev. Lett. **107** (2011) 191801
- 660 Search for new  $T'$  particles in final states with large jet multiplicities and missing transverse energy in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **107** (2011) 191803
- 661 Observation of the baryonic flavor-changing neutral current decay  $\Lambda_b^0 \rightarrow \Lambda\mu^+\mu^-$   
T Aaltonen et al., Phys. Rev. Lett. **107** (2011) 201802



- 662 Improved determination of the sample composition of dimuon events produced in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Eur. Phys. J. **71** (2011) 1720
- 663 Measurements of branching fraction ratios and CP-asymmetries in suppressed  $B^- \rightarrow D(\rightarrow K^+\pi^-)K^-$  and  $B^- \rightarrow D(\rightarrow K^-\pi^+)\pi^-$  decays  
T Aaltonen et al., Phys. Rev. D **84** (2011) 091504
- 664 Top-quark mass measurement using events with missing transverse energy and jets at CDF  
T Aaltonen et al., Phys. Rev. Lett. **107** (2011) 232002
- 665 Search for a heavy toplike quark in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **107** (2011) 261801
- 666 Measurement of polarization and search for CP violation in  $B_s^0 \rightarrow \phi\phi$  decays  
T Aaltonen et al., Phys. Rev. Lett. **107** (2011) 261802
- 667 Measurement of the  $B_s^0$  lifetime in fully and partially reconstructed  $B_s^0 \rightarrow D_s^-(\phi\pi^-)X$  decays in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **107** (2011) 272001
- 668 Search for a Higgs boson in the diphoton final state in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **108** (2012) 011801
- 669 Search for new phenomena in events with two  $Z$  bosons and missing transverse momentum in ppbar at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **85** (2012) 011104
- 670 Search for  $WW + ZZ$  production with missing transverse energy and jets with  $b$  enhancement at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **85** (2012) 012002
- 671 Search for heavy metastable particles decaying to jet pairs in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **85** (2012) 012007
- 672 Search for standard model Higgs boson production in association with a  $W$  boson at CDF  
T Aaltonen et al., Phys. Rev. to appear
- 673 Search for high-mass resonances decaying into  $ZZ$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **85** (2012) 012008
- 674 Measurement of CP-violating asymmetries in  $D^0 \rightarrow \pi^+\pi^-$  and  $D^0 \rightarrow K^+K^-$  decays at CDF  
T Aaltonen et al., Phys. Rev. D **85** (2012) 012009
- 675 Observation of exclusive  $\gamma\gamma$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **108** (2012) 081801
- 676 Measurement of the angular distributions in the decays  $B \rightarrow K^{(*)}\mu^+\mu^-$  at CDF  
T Aaltonen et al., Phys. Rev. Lett. **108** (2012) 081807
- 677 Search for the rare radiative decay  $W \rightarrow \pi\gamma$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **85** (2012) 032001
- 678 Measurement of the branching ratio  $B(\Lambda_b^0 \rightarrow \Lambda_c^+\pi^-\pi^+\pi^-)$  at CDF  
T Aaltonen et al., Phys. Rev. D **85** (2012) 032003
- 679 Search for Higgs bosons produced in association with  $b$  quarks.  
T Aaltonen et al., Phys. Rev. D **85** (2012) 032005
- 680 Measurement of  $ZZ$  production in leptonic final states at  $\sqrt{s}$  of 1.96 TeV at CDF  
T Aaltonen et al., Phys. Rev. Lett. **108** (2012) 101801
- 681 Search for standard model Higgs boson production in association with a  $W$  boson at CDF  
T Aaltonen et al., Phys. Rev. D **85** (2012) 052002

- 682 Search for standard model Higgs boson production in association with a  $W$  boson using a matrix element technique at CDF in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **85** (2012) 072001
- 683 An additional study of multi-muon events produced in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Lett. B **710** (2012) 278-283
- 684 Measurements of the Angular Distributions of Muons from  $\Upsilon$  decays in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **108** (2012) 151802
- 685 Precise measurement of the  $W$ -boson mass with the CDF II detector  
T Aaltonen et al., Phys. Rev. Lett. **108** (2012) 151803
- 686 Combination of CDF and D0 measurements of the  $W$  boson helicity in top quark decays  
T Aaltonen et al., Phys. Rev. D **85** (2012) 071106
- 687 Measurement of the CP-violating phase  $\beta_s^{J/\psi\phi}$  in  $B_s^0 \rightarrow J/\psi\phi$  decays with the CDF II detector  
T Aaltonen et al., Phys. Rev. D **85** (2012) 072002
- 688 Search for a low-mass standard model Higgs boson in the  $\tau\tau$  decay channel in  $p\bar{p}$  collisions collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **108** (2012) 181804
- 689 Search for anomalous production of multiple leptons in association with  $W$  and  $Z$  bosons at CDF  
T Aaltonen et al., Phys. Rev. D **85** (2012) 092001
- 690 Study of substructure of high transverse momentum jets produced in proton-antiproton collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **85** (2012) 091101
- 691 Measurement of  $B_s^0 \rightarrow D_s^{(*)+} D_s^{(*)-}$  branching ratios.  
T Aaltonen et al., Phys. Rev. Lett. **108** (2012) 201801
- 692 Measurement of the masses and widths of the bottom baryons  $\Sigma_b^\pm$  and  $\Sigma_b^{*\pm}$   
T Aaltonen et al., Phys. Rev. D **85** (2012) 092011
- 693 Search for a dark matter candidate produced in association with a single top quark in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **108** (2012) 201802
- 694 Evidence for the charmless annihilation decay mode  $B_s^0 \rightarrow \pi^-\pi^-$   
T Aaltonen et al., Phys. Rev. Lett. **108** (2012) 211803
- 695 Search for dark matter in events with one jet and missing transverse energy in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **108** (2012) 211804
- 696 Search for a Heavy Particle decaying to a top quark and a light quark in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **108** (2012) 211805
- 697 measurement of the top quark mass in the all-hadronic mode at CDF  
T Aaltonen et al., Phys. Lett. **714** (2011) 24-31
- 698 Production of  $\Lambda^0$ ,  $\bar{\Lambda}^0$ ,  $\Xi^\pm$ , and  $\Omega^\pm$  hyperons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **86** (2012) 012002
- 699 Measurement of  $CP$ -violation asymmetries in  $D^0 \rightarrow K_s^0 \pi^+ \pi^-$   
T Aaltonen et al., Phys. Rev. D **86** (2012) 032007
- 700 Evidence for a particle produced in association with weak bosons and decaying to a bottom-antibottom quark pair in Higgs boson searches at the Tevatron  
T Aaltonen et al., CDF and D0 Collaborations, Phys. Rev. Lett. **109** (2012) 071804
- 701 Diffractive dijet production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **86** (2012) 032009

- 702 Search for the Standard Model Higgs boson produced in association with a  $W^\pm$  boson with  $7.5 \text{ fb}^{-1}$  integrated luminosity at CDF  
T Aaltonen et al., Phys. Rev. D **86** (2012) 032011
- 703 Measurement of the  $WZ$  cross section and triple gauge couplings in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96 \text{ TeV}$   
T Aaltonen et al., Phys. Rev. D **86** (2012) 031104
- 704 Measurement of the difference in CP-violating asymmetries in  $D^0 \rightarrow K^+K^-$  and  $D^0 \rightarrow \pi^+\pi^-$  decays at CDF  
T Aaltonen et al., Phys. Rev. Lett. **109** (2012) 111801
- 705 Combined search for the Standard Model Higgs boson decaying to a  $b\bar{b}$  pair using the full CDF data set  
T Aaltonen et al., Phys. Rev. Lett. **109** (2012) 111802
- 706 Search for the Standard Model Higgs Boson decaying to a  $b\bar{b}$  pair in events with two oppositely charged leptons Using the full CDF data set  
T Aaltonen et al., Phys. Rev. Lett. **109** (2012) 111803
- 707 Search for the Standard Model Higgs boson decaying to a  $b\bar{b}$  pair in events with one charged lepton and large missing transverse energy using the full CDF data set  
T Aaltonen et al., Phys. Rev. Lett. **109** (2012) 111804
- 708 Search for the Standard Model Higgs boson decaying to a  $b\bar{b}$  pair in events with no charged leptons and large missing transverse energy using the full CDF data set  
T Aaltonen et al., Phys. Rev. Lett. **109** (2012) 111805
- 709 Search for the standard model Higgs boson produced in association with a  $Z$  boson in  $7.9 \text{ fb}^{-1}$  of  $p\bar{p}$  collisions collisions at  $\sqrt{s} = 1.96 \text{ TeV}$  using the CDF II detector  
T Aaltonen et al., Phys. Lett. B 715 (2012) 98-104
- 710 Transverse momentum cross section of  $e^+e^-$  pairs in the  $Z$ -boson region from  $p\bar{p}$  collisions collisions at  $\sqrt{s} = 1.96 \text{ TeV}$   
T Aaltonen et al., Phys. Rev. D **86** (2012) 052010
- 711 Search for scalar top quark production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96 \text{ TeV}$   
T Aaltonen et al., JHEP 10 (2012) 158
- 712 Precision top-quark mass measurement at CDF  
T Aaltonen et al., Phys. Rev. Lett. **109** (2012) 152003
- 713 Search for a Higgs boson in the diphoton final state using the full CDF data set from  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96 \text{ TeV}$   
T Aaltonen et al., Phys. Lett. B 717 (2012) 173-181
- 714 Measurement of the bottom-strange meson mixing phase in the full CDF II data set  
T Aaltonen et al., Phys. Rev. Lett. **109** (2012) 171802
- 715 Novel inclusive search for the Higgs boson in the four-lepton final state at CDF  
T Aaltonen et al., Phys. Rev. D **86** (2012) 072012  
(Publisher's note) Phys. Rev. D **86** (2012) 099902
- 716 Combination of the top-quark mass measurements from the Tevatron collider  
T Aaltonen et al., CDF and D0 Collaborations, Phys. Rev. D **86** (2012) 092003
- 717 Search for the Standard Model Higgs boson produced in association with top quarks using the full CDF data set  
T Aaltonen et al., Phys. Rev. Lett. **109** (2012) 181802
- 718 Measurements of the top-quark mass and the  $t\bar{t}$  cross section in the hadronic  $\tau + \text{jets}$  decay channel at  $\sqrt{s} = 1.96 \text{ TeV}$   
T Aaltonen et al., Phys. Rev. Lett. **109** (2012) 192001
- 719 Search for neutral Higgs bosons in events with multiple bottom quarks at the Tevatron  
T Aaltonen et al., CDF and D0 Collaborations, Phys. Rev. D **86** (2012) 091101

- 720 Search for heavy vector boson decaying into two gluons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **86** (2012) 112002
- 721 Search for scalar top quark production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., JHEP 10 (2012) 158
- 722 Measurement of the  $B_c^-$  meson lifetime in the decay  $B_c^- \rightarrow J/\psi\pi^-$   
T Aaltonen et al., Phys. Rev. D **87** (2013) 011101
- 723 Observation of the production of a  $W$ -boson in association with a single charm quark  
T Aaltonen et al., Phys. Rev. Lett. **110** (2013) 071801
- 724 Measurement of  $W$ -boson polarization in top-quark decay using the full CDF Run II data set  
T Aaltonen et al., Phys. Rev. D **87** (2013) 031104
- 725 Updated search for the standard model Higgs boson in events with jets and missing transverse energy using the full CDF data set  
T Aaltonen et al., Phys. Rev. D **87** (2013) 052008
- 726 Search for the Higgs boson in the all-hadronic final state using the full CDF data set  
T Aaltonen et al., JHEP 02 (2013) 004
- 727 Measurement of the mass difference between top and antitop quarks  
T Aaltonen et al., Phys. Rev. D **87** (2013) 052013
- 728 Search for a two-Higgs-boson doublet using a simplified model in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **110** (2013) 121801
- 729 Search for resonant top-antitop production in the lepton plus jets decay mode using the full CDF data set  
T Aaltonen et al., Phys. Rev. Lett. **110** (2013) 121802
- 730 Search for  $B_s^0 \rightarrow \mu^+\mu^-$  and  $B^0 \rightarrow \mu^+\mu^-$  decays with the full CDF Run II data set  
T Aaltonen et al., Phys. Rev. D **87** (2013) 072003
- 731 Measurement of the cross section for prompt isolated diphoton production using the full CDF Run II data sample  
T Aaltonen et al., Phys. Rev. Lett. **110** (2013) 101801
- 732 Search for Supersymmetry with like-sign lepton-tau events at CDF  
T Aaltonen et al., Phys. Rev. Lett. **110** (2013) 201802
- 733 Measurement of the top quark forward-backward production asymmetry and its dependence on event kinematic properties  
T Aaltonen et al., Phys. Rev. D **87** (2013) 092002
- 734 Measurement of  $R = B(t \rightarrow Wb)/(B(t \rightarrow Wq))$  in top-quark-pair decays using lepton+jets events and the full CDF run II dataset  
T Aaltonen et al., Phys. Rev. D **87** (2013) 111101
- 735  $W$ -boson polarization measurement in the image dilepton channel using the CDF II detector  
T Aaltonen et al., Phys. Lett. B **722** (2013) 48-54
- 736 Top-quark mass measurement in events with jets and missing transverse energy using the full CDF data set  
T Aaltonen et al., Phys. Rev. D **88** (2013) 011101
- 737 Search for pair production of strongly interacting particles decaying to pairs of jets in  $p\bar{p}$  collisions collisions at  $\sqrt{s} = 1.96$  TeV at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **88** (2013) 031802
- 738 Signature-based search for delayed photons in exclusive photon plus missing transverse energy events from  $p\bar{p}$  collisions collisions with  $\sqrt{s}=1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **88** (2013) 031103
- 739 Exclusion of exotic top-like quarks with  $-4/3$  electric charge using jet-charge tagging in single-lepton  $t\bar{t}$  events at CDF  
T Aaltonen et al., Phys. Rev. D **88** (2013) 032003

- 740 Measurement of the cross section for Direct-photon production in association with a heavy quark in  $p\bar{p}$  collisions collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **111** (2013) 042003
- 741 Searches for the Higgs boson decaying to  $W^+W^- \rightarrow \ell^+\nu\ell^-$   
*barnu* with the CDF II detector  
T Aaltonen et al., Phys. Rev. D **88** (2013) 052012
- 742 Combination of searches for the Higgs boson using the full CDF data set  
T Aaltonen et al., Phys. Rev. D **88** (2013) 052013
- 743 Higgs boson studies at the Tevatron  
T Aaltonen et al., CDF Collaboration and D0 Collaboration, Phys. Rev. D **88** (2013) 052014
- 744 Combination of CDF and D0  $W$ -boson mass measurements  
T Aaltonen et al., CDF Collaboration, D0 Collaboration, Phys. Rev. D **88** (2013) 052018
- 745 Evidence for a bottom baryon resonance  $\Lambda_b^{0*}$  in CDF data  
T Aaltonen et al., Phys. Rev. D **88** (2013) 071101
- 746 Search for microscopic black holes in a like-sign dimuon final state using large track multiplicity with the ATLAS detector  
T Aaltonen et al., Phys. Rev. D **88** (2013) 072001
- 747 Indirect measurement of  $\sin^2\theta_W(M_W)$  using  $e^+e^-$  pairs in the  $Z$  boson region with  $p\bar{p}$  collisions collisions at a center-of-momentum energy of 1.96 TeV<sup>2</sup>  
T Aalton et al., Phys. Rev. D **88** (2013) 072002  
(Erratum) Phys. Rev. D **88** (2013) 079905
- 748 Measurement of the leptonic asymmetry in  $t\bar{t}$  events produced in  $p\bar{p}$  collisions collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **88** (2013) 072003
- 749 Measurement of the differential cross section  $d\sigma/d(\cos\theta_t)$  for top-quark pair production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **111** (2013) 182002
- 750 Measurement of the top-quark pair production cross section in events with two leptons and bottom-quark jets using the full CDF data set  
T Aaltonen et al., Phys. Rev. D **88** (2013) 091103
- 751 Search for the production of  $ZW$  and  $ZZ$  boson pairs decaying into charged leptons and jets in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **88** (2013) 092002
- 752 Direct measurement of the total decay width of the top quark  
T Aaltonen et al., Phys. Rev. Lett. **111** (2013) 202001
- 753 Observation of  $D^0 - \bar{D}^0$  mixing using the CDF II detector  
T Aaltonen et al., Phys. Rev. Lett. **111** (2013) 231802
- 754 Search for a dijet resonance in events with jets and missing transverse energy in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **88** (2013) 092004
- 755 Production of  $K_s^0$ ,  $K^{*\pm}(892)$  and  $\phi^0(1020)$  in minimum bias events and  $K_s^0$  and  $\Lambda^0$  in jets in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **88** (2013) 092005
- 756 Combination of measurements of the top-quark pair production cross section from the Tevatron Collider  
T Aaltonen et al., CDF and D0 Collaborations, Phys. Rev. D **89** (2014) 072001
- 757 Precise measurement of the  $W$ -boson mass with the Collider Detector at Fermilab  
T Aaltonen et al., Phys. Rev. D **89** (2014) 072003

- 758 Indirect measurement of  $\sin^2 \theta_W(M_W)$  using  $\mu^+\mu^-$  pairs from  $\gamma^*/Z$  bosons produced in  $p\bar{p}$  collisions collisions at a center-of-momentum energy of 1.96 TeV  
T Aaltonen et al., Phys. Rev. D **89** (2014) 072005
- 759 Mass and lifetime measurements of bottom and charm baryons in  $p\bar{p}$  collisions collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. D **89** (2014) 072004
- 760 Invariant-mass distribution of jet pairs produced in association with a  $W$  boson in  $p\bar{p}$  collisions collisions at  $\sqrt{s} = 1.96$  TeV using the full CDF Run II data set  
T Aaltonen et al., Phys. Rev. D **89** (2014) 092001
- 761 Study of top quark production and decays involving a tau lepton at CDF and limits on a charged Higgs boson contribution  
T Aaltonen et al., Phys. Rev. D **89** (2014) 091101
- 762 Measurement of the ZZ production cross section using the full CDF II data set  
T Aaltonen et al., Phys. Rev. D **89** (2014) 112001
- 763 First search for exotic  $Z$  boson decays into photons and neutral pions in hadron collisionw  
T Aaltonen et al., Phys. Rev. Lett. **112** (2014) 111803
- 764 Combination of measurements of the top-quark pair production cross section from the Tevatron Collider  
T Aaltonen et al., CDF and D0 Collaborations, Phys. Rev. D **89** (2014) 072001
- 765 Search for Invisible decays of a Higgs Boson Produced in Association with a  $Z$  Boson in ATLAS  
T Aaltonen et al., Phys. Rev. Lett. **112** (2014) 201802
- 766 measurement of  $R = \mathcal{B}(t \rightarrow Wb)/\mathcal{B}(t \rightarrow Wq)$  in top-quark-pair decays using dilepton events and the full CDF Run II data set  
T Aaltonen et al., Phys. Rev. Lett. **112** (2014) 221801
- 767 Search for Invisible decays of a Higgs Boson produced in association with a  $Z$  Boson in ATLAS  
T Aaltonen et al., Phys. Rev. Lett. **112** (2014) 231802
- 768 Observation of  $s$ -channel production of single top quarks at the Tevatron  
T Aaltonen et al., Phys. Rev. Lett. **112** (2014) 231803
- 769 Evidence for  $s$ -channel single-top-quark production in Events with One Charged Lepton and Two jets at CDF  
T Aaltonen et al., Phys. Rev. Lett. **112** (2014) 231804
- 770 Search for  $s$ -channel single-top-quark production in events with missing energy plus jets in pp collisions at  $\sqrt{s} = 1.96$  TeV  
T Aaltonen et al., Phys. Rev. Lett. **112** (2014) 231805
- 771 Measurement of the Inclusive Leptonic Asymmetry in top-quark Pairs that decay to Two Charged Leptons at CDF  
T Aaltonen et al., Phys. Rev. Lett. **113** (2014) 042001
- 772 Study of orbitally excited B mesons and evidence for a new B resonance  
T Aaltonen et al., Phys. Rev. D **90** (2014) 012011
- 773 Study of orbitally excited B mesons and evidence for a new B resonance  
T Aaltonen et al., Phys. Rev. D **90** (2014) 012013

## ATLAS

- 774 Charged-particle multiplicities in  $pp$  interactions at  $\sqrt{s} = 900$  GeV measured with the ATLAS detector at the LHC  
G Aad et al., Phys. Lett. B **688** (2010) 21-42
- 775 Readiness of the ATLAS liquid argon calorimeter for LHC collisions  
G Aad et al., Eur. Phys. J. C **70** (2010) 723-753

- 776 Drift time measurement in the ATLAS liquid argon calorimeter for LHC collisions  
G Aad et al., Eur. Phys. J. C 70 (2010) 755-785
- 777 The ATLAS inner detector commissioning and calibration  
G Aad et al., Eur. Phys. J. C 70 (2010) 787-821
- 778 The ATLAS simulation infrastructure  
G Aad et al., Eur. Phys. J. C 70 (2010) 823-874
- 779 Performance of the ATLAS detector using first collision data  
G Aad et al., JHEP 9 (2010) 1-66
- 780 Commissioning of the ATLAS muon spectrometer using cosmic rays  
G Aad et al., Eur. Phys. J. C 70 (2010) 875-916
- 781 Readiness of the ATLAS tile calorimeter for LHC collisions  
G Aad et al., Eur. Phys. J. C 70 (2010) 1193-1236
- 782 Search for new particles in two-jet final states in 7 TeV proton-proton collisions with the ATLAS detector at the LHC  
G Aad et al., Phys. Rev. Lett. **105** (2010) 161801
- 783 Observation of a centrality-dependent dijet asymmetry in lead-lead collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector at the LHC  
G Aad et al., Phys. Rev. Lett. **105** (2010) 252303
- 784 Measurement of the  $W \rightarrow l\nu$  and  $Z/\gamma^* \rightarrow ll$  production cross sections in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP 12 (2010) 060
- 785 Search for quark contact interactions in dijet angular distributions in  $pp$  collisions at  $\sqrt{s} = 7$  TeV measured with the ATLAS detector  
G Aad et al., Phys. Lett. B 694 (2011) 327-345
- 786 Measurement of the centrality dependence of  $J/\psi$  yields and observation of  $Z$  production in lead-lead collisions with the ATLAS detector at the LHC  
G Aad et al., Phys. Lett. B 697 (2011) 294-312
- 787 Study of jet shapes in inclusive jet production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector  
G Aad et al., Phys. Rev. D **83** (2011) 052003
- 788 Measurement of the inclusive isolated prompt photon cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D **83** (2011) 052005
- 789 Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector  
G Aad et al., Eur. Phys. J. C 71 (2011) 1512
- 790 Studies of the performance of the ATLAS detector using cosmic-ray muons  
G Aad et al., Eur. Phys. J. C 71 (2011) 1593
- 791 Search for diphoton events with large missing transverse energy in 7 TeV proton-proton collisions with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. **106** (2011) 121803
- 792 Search for supersymmetry using final states with one lepton, jets, and missing transverse momentum with the ATLAS detector in 7 TeV  $pp$  collisions .  
G Aad et al., Phys. Rev. Lett. **106** (2011) 131802
- 793 Measurement of the production cross section for  $W$ -bosons in association with jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 698 (2011) 325-345
- 794 Search for massive long-lived highly ionising particles with the ATLAS detector at the LHC  
G Aad et al., Phys. Lett. B 698 (2011) 353-370

- 795 Measurement of the top quark mass in the lepton+jets channel using the lepton transverse momentum  
G Aad et al., Phys. Lett. B 698 (2011) 371-379
- 796 Measurement of underlying event characteristics using charged particles in  $pp$  collisions at  $\sqrt{s} = 900$  GeV and 7 TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D **83** (2011) 112001
- 797 Measurement of the top quark-pair production cross section with ATLAS in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Eur. Phys. J. C 71 (2011) 1577
- 798 Charged-particle multiplicities in  $pp$  interactions measured with the ATLAS detector at the LHC in  $pp$  collisions at  $\sqrt{s} = 7$  TeV measured with the ATLAS detector  
G Aad et al., New J. Phys. J. 13 (2011) 053033
- 799 A search for new physics in dijet mass and angular distributions in  $pp$  collisions at  $\sqrt{s} = 7$  TeV measured with the ATLAS detector  
G Aad et al., New J. Phys. J. 13 (2011) 053044
- 800 Measurement of dijet azimuthal decorrelations in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Phys. Rev. Lett. **106** (2011) 172002
- 801 Search for high mass dilepton resonances in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 700 (2011) 163-180
- 802 Luminosity determination in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector at the LHC  
G Aad et al., Eur. Phys. J. C 71 (2011) 1630
- 803 Measurements of underlying-event properties using neutral and charged particles in  $pp$  collisions at  $\sqrt{s} = 900$  GeV and  $\sqrt{s} = 7$  TeV with the ATLAS detector at the LHC  
G Aad et al., Eur. Phys. J. C 71 (2011) 1642
- 804 Search for pair production of first or second generation leptoquarks in proton-proton collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector at the LHC  
G Aad et al., Phys. Rev. D **83** (2011) 112006
- 805 Search for a heavy particle decaying into an electron and a muon with the ATLAS detector in  $\sqrt{s} = 7$  TeV collisions at the LHC  
G Aad et al., Phys. Rev. Lett. **106** (2011) 251801
- 806 Search for stable hadronising squarks and gluinos with the ATLAS experiment at the LHC  
G Aad et al., Phys. Lett. B 701 (2011) 1-19
- 807 Measurement of the  $W$  charge asymmetry in the  $W \rightarrow \mu\nu$  decay mode in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 701 (2011) 31-49
- 808 Search for high-mass states with one lepton plus missing transverse momentum in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 701 (2011) 50-69
- 809 Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector at  $\sqrt{s} = 7$  TeV proton-proton collisions  
G Aad et al., Phys. Lett. B 701 (2011) 186-203
- 810 Search for supersymmetry in proton-proton collisions at  $\sqrt{s} = 7$  TeV in final states with missing transverse momentum and  $b$ -jets  
G Aad et al., Phys. Lett. B 701 (2011) 398-416
- 811 Measurement of the differential cross-sections of inclusive, prompt and non-prompt  $J/\psi$  production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Nucl. Phys. B 850 (2011) 387-444
- 812 Search for contact interactions in dimuon events from  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D **84** (2011) 011101



- 813 Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in  $\sqrt{s} = 7$  TeV proton-proton collisions with the ATLAS detector  
G Aad et al., Eur. Phys. J. C 71 (2011) 1647
- 814 Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS experiment  
G Aad et al., Eur. Phys. J. C 71 (2011) 1682
- 815 Measurement of the  $W^+W^-$  cross section in  $\sqrt{s} = 7$  TeV  $pp$  collisions with ATLAS  
G Aad et al., Phys. Rev. Lett. **107** (2011) 041802
- 816 Search for heavy long-lived charged particles with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Phys. Lett. B 703 (2011) 428-446
- 817 Measurement of the inelastic proton-proton cross-section at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Nature Comm. 2 (2011) 463
- 818 Measurement of dijet production with a veto on additional central jet activity in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector  
G. Aad et al., JHEP 09 (2011) 53
- 819 Measurement of  $W\gamma$  and  $Z\gamma$  production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G. Aad et al., JHEP 09 (2011) 72
- 820 Properties of jets measured from tracks in  $pp$  collisions at centre-of-mass energy  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D **84** (2011) 054001
- 821 Measurement of the  $\Upsilon(1S)$  production cross-section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV in ATLAS  
G Aad et al., Phys. Lett. B 705 (2011) 9-27
- 822 Search for a heavy gauge boson decaying to a charged lepton and a neutrino in  $1 \text{ fb}^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector  
G Aad et al., Phys. Lett. B 705 (2011) 28-46
- 823 Search for neutral MSSM Higgs bosons decaying to  $\tau^+\tau^-$  pairs in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 705 (2011) 174-192
- 824 Search for new phenomena with the monojet and missing transverse momentum signature using the ATLAS detector in  $\sqrt{s} = 7$  TeV  $pp$  collisions  
G Aad et al., Phys. Lett. B 705 (2011) 294-312
- 825 Measurement of the transverse momentum distribution of  $Z\gamma^*$  bosons in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 705 (2011) 415-434
- 826 Search for the Standard Model Higgs boson in the decay channel  $H \rightarrow ZZ^{(*)} \rightarrow 4\ell$  with the ATLAS detector  
G Aad et al., Phys. Lett. B 705 (2011) 435-451
- 827 Search for the Standard Model Higgs boson in the two photon decay channel with the ATLAS detector at the LHC  
G Aad et al., Phys. Lett. B 705 (2011) 452-470
- 828 Search for a Standard Model Higgs Boson in the  $H \rightarrow ZZ \rightarrow \ell^+\ell^-\nu\bar{\nu}$  decay channel with the ATLAS detector  
G. Aad et al., Phys. Rev. Lett. **107** (2011) 221802
- 829 Search for the Higgs Boson in the  $H \rightarrow WW \rightarrow \ell\nu jj$  decay channel in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G. Aad et al., Phys. Rev. Lett. **107** (2011) 231801
- 830 Measurement of the inclusive isolated prompt photon cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using  $35 \text{ pb}^{-1}$  of ATLAS data  
G Aad et al., Phys. Lett. B 706 (2011) 150-167

- 831 Measurement of the  $Z \rightarrow \tau\tau$  cross section with the ATLAS detector  
G Aad et al., Phys. Rev. D **84** (2011) 112006
- 832 Limits on the production of the standard model Higgs boson in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Eur. Phys. J. C **71** (2011) 1728
- 833 Search for diphoton events with large missing transverse energy with 36 pb<sup>-1</sup> 7 TeV of proton-proton collision data with the ATLAS detector  
G Aad et al., Eur. Phys. J. C **71** (2011) 1744
- 834 Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy  
G Aad et al., Eur. Phys. J. C **71** (2011) 1763
- 835 Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector  
G Aad et al., Eur. Phys. J. C **71** (2011) 1795
- 836 Inclusive search for same-sign dilepton signatures in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP **10** (2011) 107
- 837 Search for a heavy neutral particle decaying into an electron and a muon using 1 fb<sup>-1</sup> of ATLAS data  
G Aad et al., Eur. Phys. J. C **71** (2011) 1809
- 838 Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector  
G Aad et al., JHEP **11** (2011) 99
- 839 Search for massive colored scalars in four-jet final states in  $\sqrt{s} = 7$  TeV proton-proton collisions with the ATLAS detector  
G Aad et al., Eur. Phys. J. C **71** (2011) 1828
- 840 Measurement of the inclusive and dijet cross sections of  $b$ -jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Eur. Phys. J. C **71** (2011) 1846
- 841 Search for dilepton resonances in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G. Aad et al., Phys. Rev. Lett. **107** (2011) 272002
- 842 Measurement of the  $W \rightarrow \tau\nu_\tau$  cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS experiment  
G Aad et al., Phys. Lett. B **706** (2012) 276-294
- 843 Measurement of the cross section for  $b$ -jets produced in association with a  $Z$  boson at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B **706** (2012) 295-313
- 844 Search for a heavy Standard Model Higgs boson in the channel  $H \rightarrow ZZ \rightarrow \ell^+\ell^-q\bar{q}$  using the ATLAS detector  
G Aad et al., Phys. Lett. B **707** (2012) 27-45
- 845  $K_s^0$  and  $\Lambda$  production in  $pp$  interactions at  $\sqrt{s} = 0.9$  and 7 TeV measured with the ATLAS detector at the LHC  
G Aad et al., Phys. Rev. D **85** (2012) 012001
- 846 Measurement of the pseudorapidity and transverse momentum dependence of the elliptic flow of charged particles in lead-lead collisions at  $\sqrt{S_{NN}} = 2.76$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B **707** (2012) 330-348
- 847 Measurement of the cross section for the production of a  $W$  boson in association with  $b$ -jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B **707** (2012) 418-437
- 848 Measurements of the electron and muon inclusive cross-sections in  $pp$  collisions collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B **707** (2012) 438-458

- 849 Measurement of the top quark pair production cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV in dilepton final states with ATLAS  
G Aad et al., Phys. Lett. B 707 (2012) 459-477
- 850 Search for displaced vertices arising from decays of new heavy particles in 7 TeV  $pp$  collisions at ATLAS  
G Aad et al., Phys. Lett. B 707 (2012) 478-496
- 851 Performance of missing transverse momentum reconstruction in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with ATLAS  
G Aad et al., Eur. Phys. J. C 72 (2012) 1844
- 852 Performance of the ATLAS trigger system in 2010  
G Aad et al., Eur. Phys. J. C 72 (2012) 1849
- 853 Measurement of the isolated diphoton cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D 85 (2012) 012003
- 854 Measurement of the transverse momentum distribution of  $W$  bosons in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D 85 (2012) 012005
- 855 Search for supersymmetry in final states with jets, missing transverse momentum and one isolated lepton in  $\sqrt{s} = 7$  TeV in  $pp$  collisions using  $1 \text{ fb}^{-1}$  of ATLAS data  
G Aad et al., Phys. Rev. D 85 (2012) 012006
- 856 Measurement of the inclusive  $W^\pm$  and  $Z\gamma^*$  cross sections in the  $e$  and  $\mu$  decay channels in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D to appear
- 857 Measurement of the  $ZZ$  production cross section and limits on anomalous neutral triple gauge couplings in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. 108 (2012) 041804
- 858 Search for new phenomena in  $t\bar{t}$  events with large missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. 108 (2012) 041805
- 859 Search for the Higgs boson in the  $H \rightarrow WW^{(*)} \rightarrow \ell^+\nu\ell^-\bar{\nu}$  decay channel in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. 108 (2012) 111802
- 860 Search for the standard model Higgs boson in the diphoton decay channel with  $4.9 \text{ fb}^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. 108 (2012) 111803
- 861 A study of the material in the ATLAS inner detector using secondary hadronic interactions  
G Aad et al., JINST 7 (2012) P01013
- 862 Search for new physics in the dijet mass distribution using  $1 \text{ fb}^{-1}$  of  $pp$  collision data at  $\sqrt{s} = 7$  TeV collected by the ATLAS detector  
G Aad et al., Phys. Lett. B 708 (2012) 37-54
- 863 Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the standard model with the ATLAS detector  
G Aad et al., Phys. Rev. D 85 (2012) 032004
- 864 A measurement of the ratio of the  $W$  and  $Z$  cross sections with exactly one associated jet in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with ATLAS  
G Aad et al., Phys. Lett. B 708 (2012) 221-240
- 865 Measurement of the production cross section for  $Z/\gamma^*$  in association with jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D 85 (2012) 032009

- 866 Searches for supersymmetry with the ATLAS detector using final states with two leptons and missing transverse momentum in  $\sqrt{s} = 7$  TeV  $pp$  collisions collisions  
G Aad et al., Phys. Lett. B 709 (2012) 137-157
- 867 Search for first generation scalar leptoquarks in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 709 (2012) 158-176  
Erratum, Phys. Lett. B 711 (2012) 442-455
- 868 Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC  
G Aad et al., Phys. Lett. B 709 (2012) 322-340
- 869 Measurement of the  $W^\pm Z$  production cross section and limits on anomalous triple gauge couplings in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 709 (2012) 341-357
- 870 Combined search for the standard model Higgs boson using up to  $4.9 \text{ fb}^{-1}$  of  $pp$  collision data at  $\sqrt{s} = 7$  TeV with the ATLAS detector at the LHC  
G Aad et al., Phys. Lett. B 710 (2012) 49-66
- 871 Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in  $\sqrt{s} = 7$  TeV  $pp$  collisions collisions of  $pp$  collision data at  $\sqrt{s} = 7$  TeV with the ATLAS detector at the LHC  
G Aad et al., Phys. Lett. B 710 (2012) 67-85
- 872 Measurement of  $D^{*\pm}$  meson production in jets from  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D 85 (2012) 052005
- 873 Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data  
G Aad et al., Eur. Phys. J. C 72 (2012) 1909
- 874 Measurement of the centrality dependence of the charged particle pseudorapidity distribution in lead-lead collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 710 (2012) 363-382
- 875 Search for the Standard Model Higgs boson in the decay channel  $H \rightarrow ZZ^{(*)} \rightarrow 4\ell$  with  $4.8 \text{ fb}^{-1}$  of  $pp$  collision data at  $\sqrt{s} = 7$  TeV with ATLAS  
G Aad et al., Phys. Lett. B 710 (2012) 383-402
- 876 Rapidity Gap Cross Sections measured with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Eur. Phys. J. C 72 (2012) 1926
- 877 Search for diphoton events with large missing transverse momentum in  $1 \text{ fb}^{-1}$  of 7 TeV proton-proton collision data with the ATLAS detector  
G Aad et al., Phys. Lett. B 710 (2012) 519-537
- 878 Search for extra dimensions using diphoton events in 7 TeV proton-proton collisions with the ATLAS detector  
G Aad et al., Phys. Lett. B 710 (2012) 538-566
- 879 Observation of a new  $\chi_b$  state in radiative transitions to  $\chi(1S)$  and  $\chi(2S)$  at ATLAS  
G Aad et al., Phys. Rev. Lett. 108 (2012) 152001
- 880 Search for excited leptons in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G. Aad et al., Phys. Rev. D 85 (2012) 072003
- 881 Search for same-sign top-quark production and fourth-generation down-type quarks in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP 4 (2012) 69
- 882 Search for decays of stopped, long-lived particles from 7 TeV  $pp$  collisions with the ATLAS detector  
G Aad et al., Eur. Phys. J. C 72 (2012) 1965

- 883 Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Eur. Phys. J. C 72 (2012) 1993
- 884 Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel  
G Aad et al., Phys. Lett. B 711 (2012) 244-263
- 885 Measurement of the inclusive  $W^\pm$  and  $Z/\gamma^*$  cross sections in the  $e$  and  $\mu$  decay channels in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D 85 (2012) 072004
- 886 Study of jets produced in association with a  $W$  boson in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D 85 (2012) 092002
- 887 Search for scalar bottom quark pair production with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Phys. Rev. Lett. 108 (2012) 181802
- 888 Search for heavy vector-like quarks coupling to light quarks in proton proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 712 (2012) 22-39
- 889 Search for contact interactions in dilepton events from  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 712 (2012) 40-58
- 890 Search for the production of resonant states in the photon-jet mass distribution using  $pp$  collisions at  $\sqrt{s} = 7$  TeV collected by the ATLAS detector  
G Aad et al., Phys. Rev. Lett. 108 (2012) 211802
- 891 Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D 85 (2012) 092014
- 892 Observation of spin correlation in  $t\bar{t}$  events from  $pp$  collisions at  $\sqrt{s} = 7$  TeV Using the ATLAS detector  
G Aad et al., Phys. Rev. Lett. 108 (2012) 212001
- 893 Measurement of the cross section for top-quark pair production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector using final states with two high-pT leptons  
G Aad et al., JHEP 5 (2012) 59
- 894 Jet mass and substructure of inclusive jets in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS experiment  
G Aad et al., JHEP 5 (2012) 128
- 895 Measurement of inclusive two-particle angular correlations in  $pp$  collisions with the ATLAS detector at the LHC  
G Aad et al., JHEP 5 (2012) 157
- 896 Measurement of the polarisation of  $W$  bosons produced with large transverse momentum in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS experiment  
G Aad et al., Eur. Phys. J. C 72 (2012) 2001
- 897 Measurement of the  $WW$  cross section in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector and limits on anomalous gauge couplings  
G Aad et al., Phys. Lett. B 712 (2012) 289-308
- 898 Search for new particles decaying to  $ZZ$  using final states with leptons and jets with the ATLAS detector in  $\sqrt{s} = 7$  TeV proton-proton collisions  
G Aad et al., Phys. Lett. B 712 (2012) 331-350
- 899 Search for FCNC single top-quark production at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 712 (2012) 351-369
- 900 Search for supersymmetry in  $pp$  collisions at  $\sqrt{s} = 7$  TeV in final states with missing transverse momentum and  $b$ -jets with the ATLAS detector  
G Aad et al., Phys. Rev. D 85 (2012) 112006

- 901 Search for gluinos in events with two same-sign leptons, jets, and missing transverse momentum with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Phys. Rev. Lett. **108** (2012) 241802
- 902 Search for a light Higgs boson decaying to long-lived weakly interacting particles in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. **108** (2012) 251801
- 903 Search for supersymmetry in events with three leptons and missing transverse momentum in  $\sqrt{s} = 7$   $pp$  collisions with the ATLAS Detector  
G Aad et al., Phys. Rev. Lett. **108** (2012) 261802
- 904 Search for pair production of a heavy up-type quark decaying to a  $W$  boson and a  $b$  quark in the lepton+jets channel with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. **108** (2012) 261802
- 905 Determination of the strange-quark density of the proton from ATLAS measurements of the  $W \rightarrow \ell\nu$  and  $Z \rightarrow \ell\ell$  cross sections  
G Aad et al., Phys. Rev. Lett. **109** (2012) 012001
- 906 Search for resonant  $WZ$  production in the  $WZ \rightarrow \ell\nu\ell'\ell'$  channel in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector  
G Aad et al., Phys. Rev. D **85** (2012) 112012
- 907 Measurement of the  $W$  boson polarization in top quark decays with the ATLAS detector  
G Aad et al., JHEP **6** (2012) 88
- 908 Forward-backward correlations and charged-particle azimuthal distributions in  $pp$  interactions using ATd  
G Aad et al., JHEP **7** (2012) 19
- 909 Measurement of the charge asymmetry in top quark pair production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector  
G Aad et al., Eur. Phys. J. C **72** (2012) 2039
- 910 Search for lepton flavour violation in the  $e\mu$  continuum with the ATLAS detector in  $\sqrt{s} = 7$  TeV  $pp$  collisions at the LHC  
G Aad et al., Eur. Phys. J. C **72** (2012) 2040
- 911 Measurement of  $t\bar{t}$  production with a veto on additional central jet activity in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector  
G Aad et al., Eur. Phys. J. C **72** (2012) 2043
- 912 Measurement of the top quark mass with the template method in the  $t\bar{t} \rightarrow$ lepton+jets channel using ATLAS data  
G Aad et al., Eur. Phys. J. C **72** (2012) 2046
- 913 Search for heavy neutrinos and right-handed  $W$  bosons in events with two leptons and jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Eur. Phys. J. C **72** (2012) 2056
- 914 Measurement of  $\tau$  polarization in  $W \rightarrow \tau\nu$  decays with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Eur. Phys. J. C **72** (2012) 2062
- 915 A search for  $t\bar{t}$  resonances with the ATLAS detector with  $2.05 \text{ fb}^{-1}$  of proton-proton collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Eur. Phys. J. C **72** (2012) 2083
- 916 Search for charged Higgs bosons decaying via  $H^\pm \rightarrow \tau\nu$  in  $t\bar{t}$  events using  $pp$  collision data at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP **6** (2012) 39
- 917 Search for the decay  $B_s^0 \rightarrow \mu^+\mu^-$  with the ATLAS detector  
G Aad et al., Phys. Lett. B **713** (2012) 387-407

- 918 Search for events with large missing transverse momentum, jets, and at least two tau leptons in 7 TeV proton-proton collision data with the ATLAS detector  
G Aad et al., Phys. Lett. B 714 (2012) 180-196
- 919 Search for supersymmetry with jets, missing transverse momentum and at least one hadronically decaying  $\tau$  lepton in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 714 (2012) 197-214
- 920 Search for pair-produced heavy quarks decaying to  $Wq$  in the two-lepton channel at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D 86 (2012) 012007
- 921 Measurement of the azimuthal anisotropy for charged particle production in  $\sqrt{s_{NN}} = 2.76$  TeV lead-lead collisions with the ATLAS detector  
G Aad et al., Phys. Rev. C 86 (2012) 014907
- 922 Measurement of inclusive jet and dijet production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector  
G Aad et al., Phys. Rev. D 86 (2012) 014022
- 923 Search for down-type fourth generation quarks with  $/ATd/$  in events with one lepton and hadronically decaying  $W$  bosons  
G Aad et al., Phys. Rev. Lett. 109 (2012) 032001
- 924 Combined search for the Standard Model Higgs boson in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. 109 (2012) 032003
- 925 Measurement of the  $b$ -hadron production cross section using decays to  $D^{*+}\mu^{-}X$  final states in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Nucl. Phys. B 864 (2012) 341-381
- 926 Search for pair production of a new  $b'$  quark that decays into a  $Z$  boson and a bottom quark with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. 109 (2012) 071801
- 927 Search for scalar top quark pair production in natural gauge mediated supersymmetry models with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Phys. Lett. B 715 (2012) 44-60
- 928 Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in  $4.7 \text{ fb}^{-1}$  of  $\sqrt{s} = 7$  TeV proton-proton collisions in  $pp$  interactions using the ATLAS detector  
G Aad et al., JHEP 1207 (2012) 167
- 929 Search for  $t\bar{b}$  resonances in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. 109 (2012) 081801
- 930 A search for  $t\bar{t}$  resonances with the ATLAS detector in  $2.05 \text{ fb}^{-1}$  of proton-proton collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Eur. Phys. J. C 72 (2012) 2083
- 931 Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC  
G Aad et al., Phys. Lett. B 716 (2012) 1-29
- 932 Search for the Standard Model Higgs boson in the image decay mode with image of ATLAS data at image  
G Aad et al., Phys. Lett. B 716 (2012) 62-81
- 933 Search for TeV-scale gravity signatures in final states with leptons and jets with the ATLAS detector at  $\sqrt{s} = 7$  TeV image  
G Aad et al., Phys. Lett. B 716 (2012) 122-141
- 934 Evidence for the associated production of a  $W$  boson and a top quark in ATLAS at image  
G Aad et al., Phys. Lett. B 716 (2012) 142-159
- 935 Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector  
G Aad et al., Phys. Rev. D 86 (2012) 052005

- 936 A search for  $t\bar{t}$  resonances in lepton+jets events with highly boosted top quarks at  $\sqrt{s} = 7$  TeV collected with the ATLAS detector  
G Aad et al., JHEP 09 (2012) 41
- 937 Search for second generation scalar leptoquarks in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.  
G Aad et al., Eur. Phys. J. C 72 (2012) 2151
- 938 Search for fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector  
G Aad et al., Eur. Phys. J. C 72 (2012) 2157
- 939 Underlying event characteristics and their dependence on jet size of charged-particle jet events in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D 86 (2012) 072004
- 940 Search for a standard model Higgs boson in the  $H \rightarrow ZZ \rightarrow \ell^+ \ell^- \nu \bar{\nu}$  decay channel using  $4.7 \text{ fb}^{-1}$  of  $\sqrt{s} = 7$  TeV data with the ATLAS detector  
G Aad et al., Phys. Lett. B 717 (2012) 29-48
- 941 Measurement of  $W\gamma$  and  $Z\gamma$  production cross sections in  $pp$  collisions at  $\sqrt{s} = 7$  TeV and limits on anomalous triple gauge couplings with the ATLAS detector  
G Aad et al., Phys. Lett. B 717 (2012) 49-69
- 942 Search for a Standard Model Higgs boson in the mass range 200-600 GeV in the  $H \rightarrow ZZ \rightarrow \ell^+ \ell^- q\bar{q}$  decay channel with the ATLAS detector  
G Aad et al., Phys. Lett. B 717 (2012) 70-88
- 943 Measurement of the top quark pair cross section with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using final states with an electron or a muon and a hadronically decaying  $\tau$  lepton  
G Aad et al., Phys. Lett. B 717 (2012) 89-108
- 944 Measurement of the  $t$ -channel single top quark production cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 717 (2012) 330-350
- 945 Search for the Standard Model Higgs boson in the  $H \rightarrow \tau^+ \tau^-$  decay mode in  $\sqrt{s} = 7$  TeV collisions with ATLAS  
G Aad et al., JHEP 09 (2012) 70
- 946 A search for flavour-changing neutral currents in top-quark decays in  $pp$  collision data collected with the ATLAS detector at  $\sqrt{s} = 7$  TeV  
G Aad et al., JHEP 09 (2012) 139
- 947 Measurement of  $W^\pm Z$  production in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Eur. Phys. J. C 72 (2012) 2173
- 948 Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three  $b$ -jets with the ATLAS detector  
G Aad et al., Eur. Phys. J. C 72 (2012) 2174
- 949 ATLAS measurements on the properties of jets for boosted particle searches  
G Aad et al., Phys. Rev. D 86 (2012) 072006
- 950 Search for the Standard Model Higgs boson produced in association with a vector boson and decaying into a  $b$ -quark pair with the ATLAS detector  
G Aad et al., Phys. Lett. B 718 (2012) 369-390
- 951 Search for the Higgs boson in the  $H \rightarrow WW \rightarrow \ell\nu jj$  decay channel at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 718 (2012) 391-410
- 952 Search for diphoton events with large missing transverse momentum in 7 TeV proton-proton collision data with the ATLAS detector  
G Aad et al., Phys. Lett. B 718 (2012) 411-430



- 953 Further search for supersymmetry at  $\sqrt{s} = 7$  TeV in final states with jets, missing transverse momentum, and isolated leptons with the ATLAS detector  
G Aad et al., Phys. Rev. D **86** (2012) 092002
- 954 Search for a supersymmetric partner to the top quark in final states with jets and missing transverse momentum at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. **109** (2012) 211802
- 955 Search for direct top squark pair production in final states with one isolated lepton, jets and missing transverse momentum in  $\sqrt{s} = 7$  TeV  $pp$  collisions using  $4.7 \text{ fb}^{-1}$  of ATLAS data  
G Aad et al., Phys. Rev. Lett. **109** (2012) 211803
- 956 Search for resonant top quark plus jet production in  $t\bar{t}+$  jets events with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Phys. Rev. D **86** (2012) 091103
- 957 Measurement of event shapes at large momentum transfer with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Eur. Phys. J. C **72** (2012) 2211
- 958 Search for supersymmetry in events with large missing transverse momentum, jets, and at least one  $\tau$  lepton in 7 TeV proton-proton collision data with the ATLAS detector  
G Aad et al., Eur. Phys. J. C **72** (2012) 2215
- 959 Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in  $\sqrt{7} = 7$  GeV proton-proton collisions  
G Aad et al., Eur. Phys. J. C **72** (2012) 2237
- 960 ATLAS search for a heavy gauge boson decaying to a lepton and a neutrino in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Eur. Phys. J. C **72** (2012) 2241
- 961 Search for doubly charged Higgs bosons in like-sign dilepton states at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Eur. Phys. J. C **72** (2012) 2244  
item Search for anomalous production of prompt like-sign lepton pairs at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP **11** (2012) 7
- 962 Measurement of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP **11** (2012) 33
- 963 Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC  
G Aad et al., JHEP **11** (2012) 094
- 964 Search for high-mass resonances decaying into dilepton final states in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., JHEP **11** (2012) 138
- 965 Time-dependent angular analysis of the decay  $B_s \rightarrow J\psi\phi$  and extraction of  $\Delta\Gamma_s$  and the  $CP$ -violating weak phase  $\phi_s$  by ATLAS  
G Aad et al., JHEP **12** (2012) 72
- 966 Search for magnetic monopoles in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. **109** (2012) 261803
- 967 Search for pair production of massive particles decaying into three quarks with the ATLAS detector in  $\sqrt{s} = 7$  TeV  $pp$  collisions at the LHC  
G Aad et al., JHEP **12** (2012) 86
- 968 Search for  $R$ -parity violating supersymmetry in events with four or more leptons in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector  
G Aad et al., JHEP **12** (2012) 124

- 969 Measurement of  $W+W^-$  production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector and limits on anomalous  $WWZ$  and  $WW$  couplings  
G Aad et al., Phys. Rev. D **87** (2012) 112001
- 970 Measurements of  $W$  and  $Z$  production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector at the LHC  
G Aad et al., Phys. Rev. D **87** (2012) 112003
- 971 Search for resonant diboson production in the  $WW/WZjj$  decay channels with the ATLAS detector at  $\sqrt{s} = 7$  TeV  
G Aad et al., Phys. Rev. D **87** (2012) 112006
- 972 Search for dark matter candidates and large extra dimension in events with a photon and missing transverse momentum in  $pp$  collision data at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. **110** (2013) 011802
- 973 Search for contact interactions and large extra dimensions in dilepton events from  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D **87** (2013) 015010
- 974 Measurement of  $Z$  boson production in Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. **110** (2013) 022301
- 975 Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using  $4.7 \text{ fb}^{-1}$  of  $\sqrt{s} = 7$  proton-proton collision data  
G Aad et al., Phys. Rev. D **87** (2013) 012008
- 976 Measurement of the  $\Lambda_b^0$  lifetime and mass in the ATLAS experiment  
G Aad et al., Phys. Rev. D **87** (2013) 032002
- 977 Search for new phenomena in events with three charged leptons at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D **87** (2013) 052002
- 978 Measurement of upsilon production in 7 TeV  $pp$  collisions at ATLAS  
G Aad et al., Phys. Rev. D **87** (2013) 052004
- 979 Search for direct production of charginos and neutrinos in events with three leptons and missing transverse momentum in  $\sqrt{s} = 7$  TeV collisions with the ATLAS detector  
G Aad et al., Phys. Lett. B **718** (2013) 841-859
- 980 Search for new phenomena in the  $WW \rightarrow \ell\nu\ell'\nu'$  final state in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B **718** (2013) 860-878
- 981 Search for direct slepton and gaugino production in final states with two leptons and missing transverse momentum with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Phys. Lett. B **718** (2013) 879-901
- 982 Search for pair production of heavy top-like quarks decaying to a high- $p_T$   $W$  boson and a  $b$  quark in the lepton plus jets final state at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B **718** (2013) 1284-1302
- 983 Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in lead-lead collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B **719** (2013) 220-241
- 984 A search for high-mass resonances decaying to  $\tau^+\tau^-$  in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B **719** (2013) 242-260
- 985 Search for supersymmetry in events with photons, bottom quarks, and missing transverse momentum in proton-proton collisions at a centre-of-mass energy of 7 GeV with the ATLAS detector  
G Aad et al., Phys. Lett. B **719** (2013) 261-279

- 986 Search for long-lived, heavy particles in final states with a muon and muon-track displaced vertex in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 719 (2013) 280-298
- 987 A search for prompt lepton-jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 719 (2013) 299-317
- 988 Search for light top squark pair production in final states with leptons and  $b$ -jets with the ATLAS detector in  $\sqrt{s} = 7$  proton-proton collisions  
G Aad et al., Phys. Lett. B 720 (2013) 13-31
- 989 Measurement of angular correlations in Drell-Yan lepton pairs to probe  $Z/\gamma^*$  boson transverse momentum at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 720 (2013) 32-51
- 990 Searches for heavy long-lived sleptons and  $R$ -hadrons with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Phys. Lett. B 720 (2013) 277-308
- 991 Measurement of hard double-parton interactions in  $W(\rightarrow \ell\nu) + 2$  jet events at  $\sqrt{s} = 7$  TeV with the ATLAS detector the LHC  
G Aad et al., NJP 15 (2013) 033038
- 992 Search for extra dimensions in diphoton events using proton-proton collisions recorded at  $\sqrt{s} = 7$  TeV with the ATLAS detector the LHC  
G Aad et al., NJP 15 (2013) 043007
- 993 Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., NJP 15 (2013) 043009
- 994 Search for excited electrons and muons with proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., NJP 15 (2013) 093011
- 995 ATLAS search for new phenomena in dijet mass and angular distributions using  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., JHEP 01 (2013) 029
- 996 Measurement of isolated-photon pair production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP 01 (2013) 086
- 997 Search for resonances decaying into top quark pairs using fully hadronic decays in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP 01 (2013) 116
- 998 Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in  $pp$  collisions with ATLAS at  $\sqrt{s} = 7$  TeV  
G Aad et al., JHEP 01 (2013) 131
- 999 A massive particle consistent with the Standard Model Higgs boson observed with the ATLAS Detector at the Large Hadron Collider  
G Aad et al., Science 338 no. 6414 (2013) 1576-1582
- 1000 Measurement of top quark pair relative cross-section with ATLAS in  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Eur. Phys. J. C 73 (2013) 2261
- 1001 Search for pair-produced massive scalars in four-jet final states with the ATLAS detector in proton-proton collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Eur. Phys. J. C 73 (2013) 2263
- 1002 Measurement of the flavour decomposition of dijet events in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Eur. Phys. J. C 73 (2013) 2301

- 1003 Search for the neutral Higgs bosons of the minimal supersymmetric standard model in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP 02 (2013) 095
- 1004 Jet energy measurement with the ATLAS detector in proton-proton collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Eur. Phys. J. C 73 (2013) 2304
- 1005 Jet energy resolution in proton-proton collisions at  $\sqrt{s} = 7$  TeV recorded in 2010 with the ATLAS detector  
G Aad et al., Eur. Phys. J. C 73 (2013) 2306
- 1006 Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC  
G Aad et al., Eur. Phys. J. C 73 (2013) 2305
- 1007 Measurement of the  $t\bar{t}$  production cross section in the tau+jets channel using the ATLAS detector  
G Aad et al., Eur. Phys. J. C 73 (2013) 2328
- 1008 Search for charged Higgs bosons through the violation of lepton universality in  $t\bar{t}$  events using  $pp$  collision data at  $\sqrt{s} = 7$  TeV with the ATLAS experiment  
G Aad et al., JHEP 03 (2013) 076
- 1009 Multi-channel search for squarks and gluinos in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector at the LHC.  
G Aad et al., Eur. Phys. J. C 73 (2013) 2362
- 1010 Measurement of  $ZZ$  production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV and limits on anomalous  $ZZZ$  and  $ZZ\gamma$  couplings with the ATLAS detector  
G Aad et al., JHEP 03 (2013) 128
- 1011 Search for displaced muon lepton jets from light Higgs boson decay in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 721 (2013) 32-50
- 1012 Search for single  $b^*$ -quark production with the ATLAS detector at  $\sqrt{s} = 7$  TeV  
G Aad et al., Phys. Lett. B 721 (2013) 171-189
- 1013 Search for long-lived, multi-charged particles in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector  
G Aad et al., Phys. Lett. B 722 (2013) 305-323
- 1014 Search for a heavy narrow resonance decaying to  $e\mu$ ,  $e\tau$  or  $\mu\tau$  with the ATLAS detector in  $\sqrt{s} = 7$  TeV  $pp$  collisions at the LHC  
G Aad et al., Phys. Lett. B 723 (2013) 15-32
- 1015 Observation of associated near-side and away-side long-range correlations in  $\sqrt{s_{NN}} = 5.02$  GeV proton-lead collisions with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. **110** (2013) 182302
- 1016 Measurement with the ATLAS detector of multiparticle azimuthal correlations in  $p + \text{Pb}$  collisions at  $\sqrt{s_{NN}} = 5.02$  GeV  
G Aad et al., Phys. Lett. B 725 (2013) 60-78
- 1017 Measurement of the high-mass Drell-Yan differential cross-section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 725 (2013) 223-242
- 1018 Measurement of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC  
G Aad et al., Phys. Lett. B 726 (2013) 88-119
- 1019 Evidence for the spin-0 nature of the Higgs boson using ATLAS data with the ATLAS detector at the LHC  
G Aad et al., Phys. Lett. B 726 (2013) 120-144
- 1020 Dynamics of isolated-photon plus jet production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Nucl. Phys. B 875 (2013) 483-535

- 1021 Characterisation and mitigation of beam-induced backgrounds observed in the ATLAS detector during the 2011 proton-proton run  
G Aad et al., JINST 8 (2013) P07004
- 1022 Triggers for displaced decays of long-lived neutral particles in /Atd  
G Aad et al., JINST 8 (2013) P07015
- 1023 Search for nonpointing photons in the diphoton and  $E_T^{\text{miss}}$  final state in  $\sqrt{s} = 7$  TeV proton-proton collisions using the ATLAS detector  
G Aad et al., Phys. Rev. D **88** (2013) 012001
- 1024 Search for  $t\bar{t}$  resonances in the lepton plus jets final state with ATLAS using  $4.7 \text{ fb}^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 7$  TeV  
G Aad et al., Phys. Rev. D **88** (2013) 012004
- 1025 Measurement of charged-particle event shape variables in inclusive  $\sqrt{(s)} = 7$  TeV proton-proton interactions with the ATLAS detector  
G Aad et al., Phys. Rev. D **88** (2013) 032004
- 1026 Search for microscopic black holes in a like-sign dimuon final state using large track multiplicity with the ATLAS detector  
G Aad et al., Phys. Rev. D **88** (2013) 072001
- 1027 Measurement of the azimuthal angle dependence of inclusive jet yields in Pb+Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. **111** (2013) 182302
- 1028 Search for long-lived stopped  $R$ -hadrons decaying out of time with  $pp$  collisions using the ATLAS detector  
G Aad et al., Phys. Rev. D **88** (2013) 112003
- 1029 Measurement of top quark polarisation in top-antitop events from proton-proton collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector  
G Aad et al., Phys. Rev. Lett. **111** (2013) 232002
- 1030 Search for charginos nearly mass degenerate with the lightest neutralino based on a disappearing-track signature in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D **88** (2013) 112006
- 1031 Measurement of  $k_T$  splitting scales in  $W \rightarrow \ell\nu$  events at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Eur. Phys. J. C **73** (2013) 2432
- 1032 Search for a light charged Higgs boson in the decay channel  $H^+ \rightarrow c\bar{s}$  in  $t\bar{t}$  events using  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Eur. Phys. J. C **73** (2013) 2465
- 1033 Measurement of the inclusive jet cross-section in  $pp$  collisions at  $\sqrt{s} = 2.76$  TeV and comparison to the inclusive jet cross-section at  $\sqrt{s} = 7$  TeV using the ATLAS detector  
G Aad et al., Eur. Phys. J. C **73** (2013) 2509
- 1034 Improved luminosity determination in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector at the LHC  
G Aad et al., Eur. Phys. J. C **73** (2013) 2518
- 1035 Measurement of jet shapes in top-quark pair events at  $\sqrt{s} = 7$  TeV using the ATLAS detector  
G Aad et al., Eur. Phys. J. C **73** (2013) 2676
- 1036 Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with ATd  
G Aad et al., JHEP **04** (2013) 75
- 1037 Measurement of the cross-section for  $W$  boson production in association with  $b$ -jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP **06** (2013) 084
- 1038 Search for third generation scalar leptoquarks in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP **06** (2013) 033

- 1039 Measurement of the production cross section of jets in association with a  $Z$  boson in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP 07 (2013) 032
- 1040 Performance of jet substructure techniques for large- $R$  jets in proton-proton collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector  
G Aad et al., JHEP 09 (2013) 076
- 1041 Measurement of the differential cross-section of  $B^+$  production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV at ATLAS  
G Aad et al., JHEP 10 (2013) 042
- 1042 Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at  $\sqrt{s} = 8$  TeV proton-proton collisions using the ATLAS experiment  
G Aad et al., JHEP 10 (2013) 130
- 1043 Search for direct third-generation squark pair production in final states with missing transverse momentum and two  $b$ -jets in  $\sqrt{s} = 8$  TeV  $pp$  collisions with the ATLAS detector  
G Aad et al., JHEP 10 (2013) 189
- 1044 Measurement of the top-quark charge in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP 11 (2013) 031
- 1045 Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector at the LHC  
G Aad et al., JHEP 11 (2013) 183
- 1046 Measurement of the mass difference between top and anti-top quarks in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector  
G Aad et al., Phys. Lett. B 728 (2014) 363-379
- 1047 Search for new phenomena in photon + jet events collected in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 728 (2014) 562-578
- 1048 Standalone Vertex Finding in the ATLAS Muon Spectrometer  
G Aad et al., JINST 9 (2014) P02001
- 1049 Search for dark matter in events with a hadronically decaying  $W$  or  $Z$  boson and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. **112** (2014) 041802
- 1050 Search for a multi-Higgs boson cascade in  $W^+W^-b\bar{b}$  events with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 8$  TeV  
G Aad et al., Phys. Rev. D **89** (2014) 032002
- 1051 Measurement of the top quark pair production charge asymmetry in proton-proton collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector  
G Aad et al., JHEP 02 (2014) 107
- 1052 Search for quantum black-hole production in high-invariant-mass lepton+jet final states using  $pp$  collisions at  $\sqrt{s} = 8$  TeV and the ATLAS detector  
G Aad et al., Phys. Rev. Lett. **112** (2014) 091804
- 1053 Search for the Standard Model Higgs boson decay to a photon and a  $Z$  boson in  $pp$  collisions at  $\sqrt{s} = 7$  and 8 TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 732 (2014) 8-27
- 1054 Measurement of the inclusive isolated prompt photon cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector using  $4.6 \text{ fb}^{-1}$   
G Aad et al., Phys. Rev. D **89** (2014) 052004
- 1055 Measurement of the parity violating asymmetry parameter  $\alpha_b$  and the helicity amplitudes for the decay  $\Lambda_b^0 \rightarrow J/\psi \Lambda^0$  with the ATLAS detector  
G Aad et al., Phys. Rev. D **89** (2014) 092009

- 1056 Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector  
G Aad et al., JHEP 04 (2014) 031
- 1057 Measurement of the production cross-section of prompt  $J/\psi$  mesons in association with a  $W$  boson in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP 04 (2014) 172
- 1058 Measurement of dijet cross sections in  $pp$  collisions at 7 TeV centre-of-mass energy using the ATLAS detector  
G Aad et al., JHEP 05 (2014) 059
- 1059 Measurement of the production of a  $W$  boson in association with a charm quark in  $pp$  collisions at  $s = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP 05 (2014) 068
- 1060 Searches for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., JHEP 05 (2014) 071
- 1061 Search for top quark decays  $t \rightarrow qH$  with  $H \rightarrow \gamma\gamma$  using the ATLAS detector  
G Aad et al., JHEP 06 (2014) 008
- 1062 Measurement of the low mass Drell-Yan differential cross section at  $\sqrt{s} = 7$  TeV using the ATLAS detector  
G Aad et al., JHEP 06 (2014) 112
- 1063 Search for direct top squark pair production in final states with two leptons in  $\sqrt{s} = 8$  TeV  $pp$  collisions with the ATLAS detector  
G Aad et al., JHEP 06 (2014) 124
- 1064 Search for supersymmetry at  $s = 8$  TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector  
G Aad et al., JHEP 06 (2014) 035
- 1065 Measurement of  $\chi_{c1}$  and  $\chi_{c2}$  production with  $\sqrt{s} = 7$   $pp$  collisions at ATLAS  
G Aad et al., JHEP 07 (2014) 154
- 1066 Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at  $\sqrt{s} = 8$  TeV  
G Aad et al., JHEP 08 (2014) 103
- 1067 The monitoring and data quality assessment of the ATLAS liquid argon calorimeter  
G Aad et al., JINST 9 (2014) p07024
- 1068 Operation and Performance of the ATLAS Semiconductor Tracker  
G Aad et al., JINST 9 (2014) p08009
- 1069 A neural network clustering algorithm for the ATLAS silicon pixel detector  
G Aad et al., JINST 9 (2014) p09009
- 1070 The differential production cross section of the  $\phi(1020)$  meson in  $\sqrt{s} = 7$  TeV  $pp$  collisions measured with the ATLAS Detector  
G Aad et al., Eur. Phys. J. C 74 (2014) 2895
- 1071 Search for direct stop pair production in events with a  $Z$  boson, b-jets and missing transverse energy with the ATLAS detector using  $21 \text{ fb}^{-1}$  from proton-proton collision at  $\sqrt{s} = 8$  TeV  
G Aad et al., Eur. Phys. J. C 74 (2014) 2883
- 1072 Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data  
G Aad et al., Eur. Phys. J. C 74 (2014) 2941
- 1073 Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector  
G Aad et al., Eur. Phys. J. C 74 (2014) 2965

- 1074 Light-quark and gluon jet discrimination in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., Eur. Phys. J. C 74 (2014) 3023
- 1075 Muon Reconstruction Efficiency and Momentum Resolution of the ATLAS Experiment in Proton-Proton collisions at  $\sqrt{s} = 7$  TeV in 2010  
G Aad et al., Eur. Phys. J. C 74 (2014) 3034
- 1076 Search for dark Matter in events with single  $Z$  and missing transverse Energy using  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D 90 (2014) 012004
- 1077 Search for quantum black-hole production in high-invariant-mass lepton+jet Final States Using proton-proton collisions at  $\sqrt{s} = 8$  TeV and the ATLAS Detector  
G Aad et al., Phys. Rev. Lett. 112 (2014) 091804
- 1078 Search for invisible decays of a Higgs boson produced in association with a  $Z$  boson in ATLAS  
G Aad et al., Phys. Rev. Lett. 112 (2014) 201802
- 1079 Measurement of the  $4\ell$  Cross Section at the  $Z$  Resonance and Determination of the Branching Fraction of  $Z \rightarrow 4\ell$  in  $pp$  collisions at  $\sqrt{s} = 7$  and 8 TeV with ATLAS  
G Aad et al., Phys. Rev. Lett. 112 (2014) 201802
- 1080 Evidence of electroweak production of WWjj in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. Lett. 113 (2014) 141803
- 1081 Search for scalar diphoton resonances in the mass range 65-600 GeV with the ATLAS detector in  $pp$  collision data at  $\sqrt{s} = 8$  TeV  
G Aad et al., Phys. Rev. Lett. 113 (2014) 171801
- 1082 Measurement of long-range pseudorapidity correlations and azimuthal harmonics in  $\sqrt{s_{NN}}=5.02$  TeV proton-lead collisions with the ATLAS detector  
G Aad et al., Phys. Rev. C 90 (2014) 044906
- 1083 Search for supersymmetry in events with four or more leptons in  $s = 8$  TeV  $pp$  collisions with the ATLAS detector  
G Aad et al., Phys. Rev. D 90 (2014) 052001
- 1084 Measurement of the Higgs boson mass from the  $H \rightarrow \gamma\gamma$  and  $H \rightarrow ZZ^* \rightarrow 4\ell$  channels with the ATLAS detector at the LHC  
G Aad et al., Phys. Rev. D 90 (2014) 052004
- 1085 Search for high-mass dilepton resonances in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D 90 (2014) 052005
- 1086 Flavour tagged time dependent angular analysis of the  $B_s^0 \rightarrow J/\psi\phi$  decay and extraction of  $\Delta\Gamma_s$  and the weak phase  $\phi_s$  in ATLAS  
G Aad et al., Phys. Rev. D 90 (2014) 052007
- 1087 Search for pair-produced third-generation squarks decaying via charm quarks or in compressed supersymmetric scenarios in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D 90 (2014) 052008
- 1088 Measurements of top-quark pair differential cross-sections in the 1+jets channel in  $pp$  collisions at  $s = 7$  TeV using the ATLAS detector  
G Aad et al., Phys. Rev. D 90 (2014) 072004
- 1089 Search for the lepton flavor violating decay  $Z \rightarrow emu$  in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., Phys. Rev. D 90 (2014) 072010
- 1090 Search for direct production of the top squark in all-hadronic final states at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., JHEP 09 (2014) 015



- 1091 Search for new particles in events with one lepton and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., JHEP 09 (2014) 037
- 1092 Measurement of the production cross-section of  $\psi(2S) \rightarrow J/\psi(\rightarrow \mu^+\mu^-)\pi^+\pi^-$  in  $pp$  collisions at  $\sqrt{s} = 7$  TeV at ATLAS  
G Aad et al., JHEP 09 (2014) 079
- 1093 Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in  $20 \text{ fb}^{-1}$  of  $\sqrt{s} = 8$  proton-proton collision data with the ATLAS detector  
G Aad et al., JHEP 09 (2014) 103
- 1094 Measurement of fiducial and differential cross sections for Higgs boson production in the diphoton channel at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., JHEP 09 (2014) 112
- 1095 Measurement of the  $Z/\gamma^*$  boson transverse momentum distribution in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector  
G Aad et al., JHEP 09 (2014) 145
- 1096 Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using  $20.3 \text{ fb}^{-1}$  of  $\sqrt{s} = 8$  TeV proton-proton collision data  
G Aad et al., JHEP 09 (2014) 176
- 1097 Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets using  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., JHEP 10 (2014) 024
- 1098 Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., JHEP 10 (2014) 096
- 1099 Search for the Standard Model Higgs boson decay to a photon and  $Z$  boson in  $pp$  collisions at  $\sqrt{s} = 7$  and 8 TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 732 (2014) 8-27
- 1100 Search for  $WZ$  resonances in the fully leptonic channel using  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 737 (2014) 223-243
- 1101 Observation of boosted  $Z \rightarrow bb$  production in proton-proton collisions at  $\sqrt{s} = 8$  TeV and measurement of the production cross-section  
G Aad et al., Phys. Lett. B 738 (2014) 25-43
- 1102 Search for the Standard Model Higgs boson decay to  $\mu^+\mu^-$  with the ATLAS detector  
G Aad et al., Phys. Lett. B 738 (2014) 68-86
- 1103 Fiducial and differential cross sections of Higgs boson production measured in the four-lepton decay channel in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 738 (2014) 234-253
- 1104 Search for new resonances in the  $W\gamma$  and  $Z\gamma$  final states in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector  
G Aad et al., Phys. Lett. B 738 (2014) 428-447

### Other particle physics

- 1105 Double polarisation measurements in meson photoproduction  
P J Bussey et al., proc. conf. High Energy Physics with Polarised Beams and Targets, Argonne 1976 345-351
- 1106 Measurements of electron drift in fast gases with crossed electric and magnetic fields.  
J M Bailey et al., proc. Symp. Detector Research and Development for the Superconducting Super Collider, Fort Worth, Texas 1990, ed. T Dombeck et al., (World Scientific, 1991) 202-204

- 1107 Forward tracking with enhanced electron identification  
J M Bailey et al., proc. Symp. Detector Research and Development for the Superconducting Super Collider, Fort Worth, Texas 1990, eds. T Dombek et al., (World Scientific, 1991) 256-258
- 1108 Radial wire drift chambers with fast gases for tracking at future supercolliders  
J M Bailey et al., Nucl. Instr. Meth. A323 (1992) 407-412
- 1109 Beamstrahlung and photon-photon collisions: Summary. T L Barklow et al., in  $e^+e^-$  *Collisions at 500 GeV: the physics potential* (2005) proc. workshop Munich, Annecy, Hamburg (ed. P M Zerwas) DESY 92-123B (1992) 837-844
- 1110 Photon photon processes at HERA  
P J Bussey, proc. workshop *Physics at HERA*, eds. W Buchmüller and G Ingelman (DESY 1992) 629-635
- 1111 What HERA tells us about the photon  
P J Bussey, Inst. Phys. Conf. Series no. 133, IOP Publishing (1993) 179-191
- 1112  $\gamma\gamma$  physics  
Convenors: E Boos, P Bussey et al., in  $e^+e^-$  *Collisions at 500 GeV: the physics potential*, proc. workshop Munich, Annecy, Hamburg (ed. P M Zerwas) DESY 93-123C (1993) 519-588
- 1113 Review: *An introduction to quantum field theory*, by G Sterman.  
P J Bussey, Eur. J. Phys. 15 (1994) 47-48
- 1114 Proceedings of the XXVII International Conference on High Energy Physics 1994 (Glasgow),  
P J Bussey and I G Knowles, editors., IOP Publishing (1995). (two vols., 1455pp)
- 1115 A comparison of prompt photon processes and two-jet processes in hard photoproduction  
P J Bussey, proc. *Photon '95*, Sheffield, eds. D J Miller et al., (World Scientific, 1996) 47-52
- 1116 Direct and resolved photon measurements in  $\gamma\gamma$  interactions  
P J Bussey, Phys. Lett. B382 (1996) 426-8
- 1117 Prompt photon, Drell-Yan and Bethe-Heitler processes in hard photoproduction  
P J Bussey, B Levtchenko and A Shumilin, proc. workshop *Future Physics at HERA*, ed. G Ingelman et al., (DESY 1996) 574-579
- 1118 Particle Physics  
E Accomando et al., in *Conceptual Design of a 500 GeV  $e^+e^-$  Linear Collider with integrated X-ray Laser Facility*, DESY 1997-048, ECFA 1997-182, eds. R Brinkmann et al. 1-108
- 1119 Detector for the Linear Collider: Detector subsystems  
S Aïd et al., in *Conceptual Design of a 500 GeV  $e^+e^-$  Linear Collider with integrated X-ray Laser Facility*, DESY 1997-048, ECFA 1997-182, eds. R Brinkmann et al. 111-274
- 1120 Detector for the Linear Collider: Baseline design for the Conceptual Design Report  
S. Aïd et al., in  $e^+e^-$  *linear colliders: physics and detector studies*, proc. workshops Frascati, London, Munich, Hamburg (ed. R Settles) DESY 97-123E (1997) 509-605
- 1121 Physics with  $e^+e^-$  Linear Colliders  
E Accomando et al., Phys. Rep. 299 (1998) 1-78
- 1122 A detector for TESLA  
G Alexander et al., in *TESLA Technical Design Report IV* eds. T Behnke et al., (DESY 2001) 1-168
- 1123 Physics with two photons at HERA  
P J Bussey, proc. Workshop on photon interactions and the photon structure, Lund, eds G Jarlskog, T Sjöstrand (1998) 41-49
- 1124 Prompt photon production  
P J Bussey, proc. 3rd UK Phenomenology Workshop on HERA Physics, Durham, 1998; J. Phys. G25 (1999) 1461-1464
- 1125 Photoproduction at low  $Q^2$   
P J Bussey, proc. *Physics in Collision*, Ann Arbor (1999) eds M Campbell and J Qian, 92-107

- 1126 Open heavy quark and charmonium production at HERA  
P J Bussey, proc. UK Phenomenology Workshop on Heavy Flavours and CP Violation, Durham, 2000; J. Phys. G27 (2001) 1145-1151
- 1127 Inclusive prompt photon production and deeply virtual Compton scattering at HERA  
P J Bussey, proc. XXXV Rencontres de Moriond, Les Arcs 1800 (2000) ed J Trần Than Vân (Thê Giói, Vietnam, 2001) 37-40
- 1128 The photon collider at TESLA  
B Badełek et al., in *TESLA Technical Design Report VI* ed. V Telnov, (DESY 2001) 1-98  
Int. J. Mod. Phys. A19 (2004) 5097-5186
- 1129 Prompt photons in photoproduction at HERA  
P J Bussey, proc. 9th Int. Workshop on Deep Inelastic Scattering, Bologna (2001) eds G Bruni et al., (World Scientific, 2002) 451-454
- 1130 Heavy Flavour Physics at HERA - a Survey  
P J Bussey, DESY 01-197, Int. J. Mod. Phys. A17 (2002) 1065-1110
- 1131 Jet physics at HERA  
P J Bussey, Nucl. Phys. A721 (2003) 821c-824c
- 1132 Heavy flavour physics at HERA  
P J Bussey, Nucl. Phys. A721 (2003) 825c-828c
- 1133 Virtual Photon Structure at HERA  
P J Bussey, Nucl. Phys. B(Proc. Supp.) 126 (2004) 17-21
- 1134 Inclusive Jets and  $\alpha_s$  at HERA  
P J Bussey, Nucl. Phys. B(Proc. Supp.) 126 (2004) 111-117
- 1135 Charm and Beauty production at CDF  
P J Bussey, proc. XII International Workshop on Deep Inelastic Scattering, Štrbské Pleso (Slovakia, 2004) eds D. Bruncko et al., (Inst. of Ex. Physics SAS) 751-756
- 1136 Central exclusive production of longlived gluinos at the LHC  
P J Bussey et al., JHEP 11 (2006) 027
- 1137 Hadronic final states at HERA  
P J Bussey, Nucl. Phys. B(Proc. Supp.) 164 (2007) 46-49
- 1138 QCD Physics with ZEUS and H1 at HERA  
P J Bussey, Mod. Phys. Lett. A 22 (2007) 317-322
- 1139 Jets in Photoproduction at HERA  
P J Bussey, Nucl. Phys. B(Proc. Supp.) 184 (2008) 99-103
- 1140 Charm physics at CDF (DIS 2008)  
P J Bussey, Prog. High En. Phys. 2 (2008) 197
- 1141 Detection of new states using forward proton tagging at the LHC  
P J Bussey Proc. ICHEP 34, Philadelphia, [www.slac.stanford.edu/econf/C080730/proceedings.htm#Higgs](http://www.slac.stanford.edu/econf/C080730/proceedings.htm#Higgs) (2008)
- 1142 Physics with forward FP420/FP220 tagging systems  
P Bussey and P Van Mechelen, Proc. Workshop HERA and the LHC, 2006-2008, DESY-PROC-2009-002 (2009) 557
- 1143 Jets and measurements of  $\alpha_s$   
P J Bussey, Nucl. Phys. B(Proc. Supp.) 191 (2009) 111-120
- 1144 The FP420 R&D project: Higgs and new physics with forward protons at the LHC  
M Albrow et al., JINST 4 (2009) T10001
- 1145 Prompt photons in Deep Inelastic Scattering at HERA  
P J Bussey, proc. Photon 2009 eds. O Behnke et al., (Verlag DESY, Hamburg, 2010) 132-136

- 1146 Experimental Summary  
P J Bussey, proc. Photon 2009 eds. O Behnke et al., (Verlag DESY, Hamburg, 2010) 445-456
- 1147 Studies of bottom baryons at CDF  
P Bussey, Proc. XXI Europhys. Conference, Grenoble, Proc. of Science (2011) (EPS-HEP2011) 178
- 1148 Isolated photon production in DIS at HERA with ZEUS  
P Bussey, Proc. XXI Europhys. Conference, Grenoble, Proc. of Science (2011) (EPS-HEP2011) 329
- 1149 Isolated photons in deep inelastic scattering and photoproduction  
P Bussey, Proc. XXII Europhys. Conference, Stockholm, Proc. of Science (2013) PoS(EPS-HEP2013)418

### Foundational Studies and Book Reviews.

- 1150 Super-luminal communication” in Einstein-Podolsky-Rosen experiments.  
P J Bussey, Phys. Lett. 90A (1982) 9-12
- 1151 On replicating photons  
P J Bussey, Nature (matters arising) 304 (1983) p188
- 1152 When does the wave-function collapse?  
P J Bussey, Phys. Lett. 106A (1984) 407-409
- 1153 Unexpected hanging” paradox  
P J Bussey, Am. J. Phys. 53 (correspondence) (1985) p937
- 1154 Wavefunction collapse and the optical theorem  
P J Bussey, Phys. Lett. 118A (1986) 377-380
- 1155 The fate of Schrödinger’s Cat  
P J Bussey, Phys. Lett. A120 (1987) 51-53
- 1156 Communication and non-communication in Einstein-Podolsky-Rosen experiments.  
P J Bussey, Phys. Lett. A123 (1987) 1-3
- 1157 Comments on “When is a quantum measurement?”  
P J Bussey, Am. J. Phys. 56 (1988) 569-570
- 1158 The Foundations of Quantum Mechanics  
P J Bussey, Found. Phys. 18 (1988) 491-528
- 1159 The phonon as a model for elementary particles  
P J Bussey, Phys. Lett. A176 (1993) 159-164
- 1160 Review: W Pauli, *Writings on Physics and Philosophy*, eds. C P Enz and K v Meyenn.  
P J Bussey, Contemp. Phys. 37 (1996) 497-8
- 1161 Indeterminacy, Time and the Future  
P J Bussey, Science and Christian Belief 9 (1997) 79-84
- 1162 Eastern religions and modern physics – a further examination  
P J Bussey, Science and Christian Belief 11 (1999) 113-127
- 1163 Modern astronomy and our perception of the universe  
P J Bussey, Science and Christian Belief 12 (2000) 3-15
- 1164 Review: R N Barnett, H Mühry and H R Quinn, *The Charm of Strange quarks: mysteries and revolutions of particle physics*  
P J Bussey, Times Higher Education Supplement Nov. 24 2000
- 1165 Review: P H Meijer (ed.), *Views of a Physicist: Selected papers of N G van Kampen*  
P J Bussey, Contemp. Phys. 43 (2002) 44-45
- 1166 Essay Review: *Nature in all its wonders*  
P J Bussey, Contemp. Phys. 44 (2003) 357-360

- 1167 Review: J Baggott, *Beyond Measure: Modern Physics, Philosophy and the Meaning of Quantum Theory*  
P J Bussey, *Contemp. Phys.* 45 (2004) 343-344
- 1168 Essay Review: *Pressing to the extremes*  
P J Bussey, *Contemp. Phys.* 45 (2004) 427-430
- 1169 Beyond Materialism: from the Medieval Scholars to Quantum Physics  
P J Bussey, *Science and Christian Belief* 16 (2004) 157-178
- 1170 Review: T Morii et al., *The Physics of the Standard Model and Beyond*,  
P J Bussey, *Contemp. Phys.* 46 (2005) 157
- 1171 Physical Infinities: a Substitute for God?  
P J Bussey, *Science and Christian Belief* 18 (2006) 133-150
- 1172 Review: J L Basdevant et al., *The Quantum Mechanics Solver*,  
P J Bussey, *Contemp. Phys.* 47 (2006) 410
- 1173 Review: M Munowitz, *Knowing: the Nature of Physical Law*  
P J Bussey, *Contemp. Phys.* 48 (2007) 58
- 1174 Essay Review: *Views over the terrain of physics*  
P J Bussey, *Contemp. Phys.* 48 (2007) 173-176
- 1175 Review: M Sachs, *Concepts of Modern Physics*,  
P J Bussey, *Contemp. Phys.* 48 (2008) 225-226
- 1176 Review: T E Phipps, *Old Physics for New, a Worldview Alternative to Einstein's Relativity Theory*  
P J Bussey, *Contemp. Phys.* 48 (2007) 240-241
- 1177 Review: G D Coughlan et al., *The Ideas of Particle Physics*,  
P J Bussey, *Contemp. Phys.* 48 (2008) 243-244
- 1178 Review: I Aitchison, *Supersymmetry in Particle Physics, an Elementary Introduction*  
P J Bussey, *Contemp. Phys.* 48 (2008) 389-90
- 1179 Explanations in science and beyond  
P J Bussey *Science and Christian Belief* 20 (2008) 175-194
- 1180 Essay Review: *Beauty and Physics*,  
P J Bussey, *Contemp. Phys.* 50 (2009) 479-482
- 1181 Review: J Ellis and D Amati (eds.) *Quantum reflections*  
P J Bussey, *Contemp. Phys.* 50 (2009) 663-664
- 1182 Guest Editorial: *The myth of physicalism*  
P J Bussey, *Science and Christian Belief* 21 (2009) 98-100
- 1183 Review: W Thirring: *Cosmic Impressions, Traces of God in the Laws of Nature*,  
P J Bussey, *Science and Christian Belief* 21 (2009) 177-8
- 1184 Review: V Ivancevic and T Ivancevic, *Quantum Leap: From Dirac and Feynman, Across the Universe to Human Body and Mind*,  
P J Bussey, *Contemp. Phys.* 51 (2010) 185-186
- 1185 Review: L Hoddeson, A Kolb and C Westfall *Fermilab: Physics, The Frontier and Megascience*  
P J Bussey, *Contemp. Phys.* 51 (2010) 190
- 1186 Review: B Carr (ed.), *Universe or Multiverse?*  
P J Bussey, *Contemp. Phys.* 51 (2010) 546-550
- 1187 Quantum quicksands, Essay Review: V J Stenger, *Quantum Gods, Creation, Chaos and the Search for Cosmic Consciousness*  
P J Bussey, *Contemp. Phys.* 51 (2010) 531-534
- 1188 Review: D Lincoln *The Quantum Frontier: The Large Hadron Collider*  
P J Bussey, *Contemp. Phys.* 51 (2010) 558

- 1189 Review: B R Desai *Quantum Mechanics with Basic Field Theory*  
P J Bussey, *Contemp. Phys.* 52 (2011) 80
- 1190 Review: V Vedral *The Universe as Quantum Information*  
P J Bussey, *Contemp. Phys.* 52 (2011) 84-85
- 1191 Review: J Allday *Quantum Reality: Theory and Philosophy*  
P J Bussey, *Contemp. Phys.* 52 (2011) 87
- 1192 Review: P Byrne *The Many Worlds of Hugh Everett III*  
P J Bussey, *Contemp. Phys.* 52 (2011) 96
- 1193 Review: R N Sen *Causality, Measurement Theory and the Differentiable Structure of Space-Time*  
P J Bussey, *Contemp. Phys.* 52 (2011) 175
- 1194 Mystery and Ignorance  
P J Bussey, *Science and Christian Belief* 23 (2011) 3-21
- 1195 Review: I S Markham *Against Atheism: Why Dawkings, Hitchens and Harris are Fundamentally Wrong*  
P J Bussey, *Science and Christian Belief* 23 (2011) 78-79
- 1196 Review: I Sample *Massive: The Hunt for the God Particle*  
P J Bussey, *Contemp. Phys.* 52 (2011) 257-258
- 1197 Review: A A Martinez *Kinematics: The Lost Origins of Einstein's Relativity*  
P J Bussey, *Contemp. Phys.* 52 (2011) 258
- 1198 Contribution to article by A Z Williams, *I'm a believer.*  
*New Statesman*, 15 April 2011
- 1199 Essay Review: *Physics and Poetry*  
P J Bussey, *Contemp. Phys.* 52 (2011) 359-362
- 1200 Review: I Hargittai *Judging Edward Teller*  
P J Bussey, *Contemp. Phys.* 52 (2011) 382-383
- 1201 Review: J D Walecka *Advanced Modern Physics: Theoretical Foundations*  
P J Bussey, *Contemp. Phys.* 52 (2011) 485-486
- 1202 *A-Z of Ideas*. K: Kelvin  
Peter Bussey, *Third Way*, 34/9 (November 2011) 27
- 1203 Review: H Kragh *Higher Speculations, grand theories and Failed Revolutions in Physics and Cosmology*  
P J Bussey, *Contemp. Phys.* 52 (2011) 606
- 1204 Review: J Hauptman *Particle Physics Experiments at High Energy Colliders*  
P J Bussey, *Contemp. Phys.* 52 (2011) 609-610
- 1205 Review: G Vignale *The Beautiful Invisible: Creativity, Imagination and Theoretical Physics*  
P J Bussey, *Contemp. Phys.* 52 (2011) 622-623
- 1206 Review: J Rosen *Lawless Universe: Science and the Hunt for Reality*  
P J Bussey, *Contemp. Phys.* 53 (2012) 58-59
- 1207 Review: S A Klioner et al., eds. *Relativity in Fundamental Astronomy*  
P J Bussey, *Contemp. Phys.* 53 (2012) 76-77
- 1208 Review: I Brock and T Schönder-Sadenius, eds. *Physics at the Terascale*  
P J Bussey, *Contemp. Phys.* 53 (2012) 185
- 1209 Review: S Stenholm *The Quest for Reality: Bohr and Wittgenstein - Two Complementary Views*  
P J Bussey, *Contemp. Phys.* 53 (2012) 254-255
- 1210 Review: L Randall *Knocking on Heaven's Door*  
P J Bussey, *Contemp. Phys.* 53 (2012) 178

- 1211 Review: R J Spitzer *New Proofs for the Existence of God: Contributions of Contemporary Physics*  
P J Bussey, J. Theol. Studies, NS (2012) doi 10:1093/jts/fls023
- 1212 Contribution to *Dangerous Knowledge*, Scientists discuss whether there are, or should be, limits to science  
P J Bussey, New Statesman, 7 May 2012, p31
- 1213 Review: L. Boi *The Quantum Vacuum: A Scientific and Philosophical Concept, from Electrodynamics to String Theory and the Geometry of the Microscopic World*  
P J Bussey, Contemp. Phys. 53 (2012) 393-394
- 1214 Review: Jim Al-Khalili *Black Holes, Wormholes and Time Machines*, 2nd Edn.  
P J Bussey, Contemp. Phys. 53 (2012) 394
- 1215 Review: J Polkinghorne (ed.) *The Trinity and an Entangled World: Relationality in Physical Science and Theology*  
P J Bussey, Science and Christian Belief 24 (2012) 187-189
- 1216 Review: G Fraser *Cosmic Anger: Abdus Salam – the First Muslim Nobel Scientist*  
P J Bussey, Contemp. Phys. 53 (2012) 442-3
- 1217 Review: A M Rae *Quantum Physics, Illusion or Reality?*  
P J Bussey, Contemp. Phys. 53 (2012) 505-506
- 1218 Review: J D Bekenstein and R Mechoulam, eds. *Albert Einstein Memorial Lectures*  
P J Bussey, Contemp. Phys. 53 (2012) 511-512
- 1219 God as First Cause - a review of the Kalam Argument  
P J Bussey, Science and Christian Belief 25 (2013) 17-36
- 1220 Review: T. Maudlin *Philosophy of Physics: Space and Time*  
P J Bussey, Contemp. Phys. 54 (2013) 68-9
- 1221 Essay Review: *The world of many worlds*  
P J Bussey, Contemp. Phys. 55 (2013) 100-103
- 1222 Review: A Melissinos *Reminiscences: A Journey Through Particle Physics*  
P J Bussey, Contemp. Phys. 54 (2013) 108-9
- 1223 Review: A. M. Steane *Relativity Made Relatively Easy*  
P J Bussey, Contemp. Phys. 54 (2013) 124
- 1224 Review: C G Kerry and K M Bruno *The Quantum Divide: Why Schrödinger's Cat is either Dead or Alive*  
P J Bussey, Contemp. Phys. 54 (2013) 138-9
- 1225 Review: M Longair *Quantum Concepts in Physics: An Alternative Approach to the Understanding of Quantum Mechanics*  
P J Bussey, Contemp. Phys. 54 (2013) 220-1
- 1226 Review: R Batterman, ed. *The Oxford Handbook of Philosophy of Physics*  
P J Bussey, Contemp. Phys. 54 (2013) 221-3
- 1227 Review: D Gross et al., eds. *The Theory of the Quantum World: Proceedings of the 25th Solvay Conference on Physics*  
P J Bussey, Contemp. Phys. 54 (2013) 291-2
- 1228 Review: C. Dharma-wardana *A Physicist's View of Matter and Mind*  
P J Bussey, Contemp. Phys. 55 (2014) 49-50
- 1229 Review: E. M. Henley and S. D. Ellis, eds. *100 Years of Subatomic Physics*  
P J Bussey, Contemp. Phys. 55 (2014) 52-53
- 1230 Review: D. Wilkinson *Science, Religion and the Search for Extra-Terrestrial Intelligence*  
P J Bussey, Contemp. Phys. 55 (2014) 137-138
- 1231 Reply to comment from David Booth  
P J Bussey, Science and Christian Belief 26 (2014) 81-82

- 1232 Essay Review, *Complexity is complex*  
P J Bussey, *Contemp. Phys.* 55 (2014) 252-245
- 1233 Review: M. Thomson *Modern Particle Physics*  
P J Bussey, *Contemp. Phys.* 55 (2014) 251-252